

Commuter Afrike Forecasts

ADA105112

Prepared for: Office of Aviation Policy and Plans

Hezel Medville - Wilson Hill Associates, his Claim Starty - SR1 International Z. Gerald Sedimain - SR1 International

Washington, D.C. 20001

FAA-APO-81-7 Mey 1981 (5)

BET

COMMUTER AIRLINE FORECASTS FINAL REPORT

May 1981

Hazel Medville Claire Starry Gerald Bernstein

Prepared For:

U.S. DEPARTMENT OF TRANSPORTATION FEDERAL AVIATION ADMINISTRATION Office of Aviation Policy and Plans Washington, D.C. 20591

•	Report No.	2. Government Accessi	on No.	J. Recipie	ent's Catalog No	•
				1		
	Title and Subtitle		111	5. Report		1201
	the second secon	,	$\mathcal{L}_{\mathcal{L}_{\mathcal{L}_{\mathcal{L}}}}$	May	1981 / _ (_	1 2
	Commuter Airline Forecas	te •		-er-Fresters	Hing Organization	Code
	Committee All like Forecas	۵)		APO-	110	
	· · · · · · · · · · · · · · · · · · ·	, as interested		8. Perform	ing Organiation	Report No.
-	Author(s)	TO THE PERSON AND THE	The Property of the Control of the	10)	- (19)	
-	Hazel Medville, Claire S	tarre and Corald	Bornstoin	FAA-	APO-81-7	v
_			/ DELIISUELII	10 Wash	Unit No. (TRAIS)	
•	Performing Organization Name and Addre			100		
	Wilson Hill Associates,			11 6	ect or Great No.	
	1025 Vermont Avenue, N.W	•	112		FA79WAI-13	
	Washington, D.C. 20005		/5	_		
				ТЗ. Туре	of Report and Pe	riod Covered
2.	Sponsoring Agency Name and Address		1	Fore	cast 1981-	1992 ~
	Federal Aviation Adminis	tration	 	7		
	Office of Aviation Polic	y and Plans		<u></u>	44 PAP LIP TT 1 M 1	<u>- </u>
	800 Independence Avenue,		•	14. Spons	oring Agency Co	de
	Washington, D.C. 20591			FAA		
-	Supplementary Notes					
Ĺ	This publication present describes the models des Puerto Rico and the Virg	igned for foreca in Islands, Haw	asting Conter aii, and indi	minous (vidual a	Inited Stat irport	æs,
Ĺ	describes the models des Puerto Rico and the Virg activity. These forecas of the commuter industry marketing environment or A separate forecast is p modeling approaches were airports which the FAA e Terminal Area Forecast. the Appendices. The models developed und FAA to describe and Fore	rigned for forecapin Islands, Hawaits take into according and the effects reated by the Air provided for complex evaluated to fixpects to utilize Descriptions of the contract ecast a major se	asting Conteration, and indice the record activities of the change of the change of the cargo and the cargo are cast activities in preparification of Aviatical actor of Aviation and indice the cargo actor of Aviation and indice the cargo actor ac	minous Unidual action Activity at ingree provenue.	Inited State airport mic growth ating and at of 1978. Lastly, individual annual vided in the state anticipal is anticipal ant	by
Ĺ	describes the models des Puerto Rico and the Virg activity. These forecas of the commuter industry marketing environment or A separate forecast is p modeling approaches were airports which the FAA e Terminal Area Forecast. the Appendices. The models developed und FAA to describe and Fore that there will be furth	rigned for foreca in Islands, Haw its take into acc and the effects reated by the Air provided for come e evaluated to for expects to utilist Descriptions of the this contract ecast a major se mer refinements	asting Conteration, and indice the record activate the change of the change of the cargo and crecast activate in preparification of Aviation the models	minous Unidual action Activity at ingree provenue.	Inited State airport mic growth ating and at of 1978. Lastly, individual annual vided in the state anticipal is anticipal ant	by
Î.	describes the models des Puerto Rico and the Virg activity. These forecas of the commuter industry marketing environment or A separate forecast is p modeling approaches were airports which the FAA e Terminal Area Forecast. the Appendices. The models developed und FAA to describe and Fore	rigned for foreca in Islands, Haw its take into acc and the effects reated by the Air provided for come e evaluated to for expects to utilist Descriptions of the this contract ecast a major se mer refinements	asting Conteration, and indice the record activate the change of the change of the cargo and crecast activate in preparification of Aviation the models	minous Unidual action Activity at ingree provenue.	Inited State airport mic growth ating and at of 1978. Lastly, individual annual vided in the state anticipal is anticipal ant	by
Ĺ	describes the models des Puerto Rico and the Virg activity. These forecas of the commuter industry marketing environment or A separate forecast is p modeling approaches were airports which the FAA e Terminal Area Forecast. the Appendices. The models developed und FAA to describe and Fore that there will be furth	rigned for foreca in Islands, Haw its take into acc and the effects reated by the Air provided for come e evaluated to for expects to utilist Descriptions of the this contract ecast a major se mer refinements	asting Conteration, and indice the record activate the change of the change of the cargo and crecast activate in preparification of Aviation the models	minous Unidual action Activity at ingree provenue.	Inited State airport mic growth ating and at of 1978. Lastly, individual annual vided in the state anticipal is anticipal ant	by
	describes the models des Puerto Rico and the Virg activity. These forecas of the commuter industry marketing environment or A separate forecast is p modeling approaches were airports which the FAA e Terminal Area Forecast. the Appendices. The models developed und FAA to describe and Fore that there will be furth	rigned for foreca in Islands, Haw its take into acc and the effects reated by the Air provided for come e evaluated to for expects to utilist Descriptions of the this contract ecast a major se mer refinements	asting Conteration, and indice the record activate the change of the change of the cargo and crecast activate in preparification of Aviation the models	minous Unidual action Activity at ingree provenue.	Inited State airport mic growth ating and at of 1978. Lastly, individual annual vided in the state anticipal is anticipal ant	by
	describes the models des Puerto Rico and the Virg activity. These forecas of the commuter industry marketing environment or A separate forecast is p modeling approaches were airports which the FAA e Terminal Area Forecast. the Appendices. The models developed und FAA to describe and Fore that there will be furth	rigned for foreca in Islands, Haw its take into acc and the effects reated by the Air provided for come e evaluated to for expects to utilist Descriptions of the this contract ecast a major se mer refinements	asting Conteration, and indicount the received from the change of the change of the change of the cargo at the models of the mod	minous lavidual assent dynauged operation Activity at ingrity at ingrity are proven an initiation. It is as the	Inited State airport mic growth ating and at of 1978. Lastly, individual annual vided in the state anticipal is anticipal ant	by
	describes the models des Puerto Rico and the Virg activity. These forecas of the commuter industry marketing environment or A separate forecast is p modeling approaches were airports which the FAA e Terminal Area Forecast. the Appendices. The models developed und FAA to describe and Fore that there will be furth	rigned for foreca in Islands, Haw its take into acc and the effects reated by the Air provided for come e evaluated to for expects to utilist Descriptions of the this contract ecast a major se mer refinements	asting Conteration, and indicount the recess of the changer of the changer of the changer of the models of the mod	minous lavidual assent dynauged operation Activity. The section are proven an initiation. It is as the	Inited State airport mic growth ating and at of 1978. Lastly, individual annual vided in all effort is anticic commuter in a second co	by ipated industry
	describes the models des Puerto Rico and the Virg activity. These forecas of the commuter industry marketing environment or A separate forecast is p modeling approaches were airports which the FAA e Terminal Area Forecast. the Appendices. The models developed und FAA to describe and Fore that there will be furth evolves and additional describes and additional describes.	rigned for forecastin Islands, Hawaits take into according to the effects reated by the Air provided for communication of the evaluated to freeze to utility. Descriptions of the exact a major sener refinements lata becomes available.	asting Conteration, and indicount the recess of the changer of the changer of the changer of the models of the mod	minous lavidual activity activity at ing its a are provening as the	Inited State import mic growth ating and it of 1978. Lastly, individual innual vided in its anticipation commuter in the comm	by ipated industry public
1	describes the models des Puerto Rico and the Virg activity. These forecas of the commuter industry marketing environment or A separate forecast is p modeling approaches were airports which the FAA e Terminal Area Forecast. the Appendices. The models developed und FAA to describe and Fore that there will be furth evolves and additional describes and additional describes.	rigned for forecapin Islands, Hawaits take into according to the Air reated by the Air revided for commuter to utilize the contract of the con	asting Conteration, and indicount the recess of the changer of the changer of the cargo at the cargo at the cargo at the models of the models of the models of the models of the cargo of the cargo of the cargo of the models of the models of the models of the cargo o	minous lavidual asent dynauged operation Activity. Activity at ingrity at ingrity are proven an initiation. It is as the	Inited State airport mic growth ating and at of 1978. Lastly, individual annual vided in all effort is anticic commuter in the all Technical Tech	by ipated industry public al
1	describes the models des Puerto Rico and the Virg activity. These forecas of the commuter industry marketing environment or A separate forecast is p modeling approaches were airports which the FAA e Terminal Area Forecast. the Appendices. The models developed und FAA to describe and Fore that there will be furth evolves and additional of New Words Commuter Air Carrier, Co Passenger Emplanements,	rigned for forecapin Islands, Hawaits take into according to the Air reated by the Air revolved for commuter to utilize this contract exast a major separate becomes available becomes available for this contract exast a major separate becomes available for the contract and the contract exast a major separate for the contract and	asting Conteration, and indicount the recess of the changer of the changer of the changer of the models of the mod	minous lavidual asent dynauged operation Activity. Activity at ingrity at ingrity are proven an initiation. It is as the	Inited State airport mic growth ating and at of 1978. Lastly, individual annual vided in all effort is anticic commuter in the all Technical Tech	by ipated industry public al
1	describes the models des Puerto Rico and the Virg activity. These forecas of the commuter industry marketing environment or A separate forecast is p modeling approaches were airports which the FAA e Terminal Area Forecast. the Appendices. The models developed und FAA to describe and Fore that there will be furth evolves and additional of Commuter Air Carrier, Co Passenger Emplanements, Passenger Miles, Operation	rigned for forecapin Islands, Hawaits take into according to the Air reated by the Air revolved for commuter to utilize this contract exast a major separate becomes available becomes available for this contract exast a major separate becomes available for the contract and the contract exast a major separate for the contract and	asting Conteration, and indicount the recess of the change of the change of the change of the cargo at the models of the models	minous lavidual asent dynauged operation Activity at ingrity at ingrity are proven an initiation. It is as the	Inited State airport mic growth ating and at of 1978. Lastly, individual annual vided in all effort is anticic commuter in the all Technical Tech	by ipated industry public al
1	describes the models des Puerto Rico and the Virg activity. These forecas of the commuter industry marketing environment or A separate forecast is p modeling approaches were airports which the FAA e Terminal Area Forecast. the Appendices. The models developed und FAA to describe and Fore that there will be furth evolves and additional of New Words Commuter Air Carrier, Co Passenger Emplanements,	rigned for forecapin Islands, Hawaits take into according to the Air reated by the Air revolved for commuter to utilize this contract exast a major separate becomes available becomes available for this contract exast a major separate becomes available for the contract and the contract exast a major separate for the contract and	asting Conteration, and indicount the recess of the changer of the changer of the cargo at the cargo at the cargo at the models of the models of the models of the models of the cargo of the cargo of the cargo of the models of the models of the models of the cargo o	minous lavidual asent dynauged operation Activity at ingrity at ingrity are proven an initiation. It is as the	Inited State airport mic growth ating and at of 1978. Lastly, individual annual vided in all effort is anticic commuter in the all Technical Tech	by ipated industry public al ield,
177	describes the models des Puerto Rico and the Virg activity. These forecas of the commuter industry marketing environment or A separate forecast is p modeling approaches were airports which the FAA e Terminal Area Forecast. the Appendices. The models developed und FAA to describe and Fore that there will be furth evolves and additional of Commuter Air Carrier, Co Passenger Emplanements, Passenger Miles, Operation	rigned for forecapin Islands, Hawaits take into according to the Air reated by the Air revolved for commuter to utilize this contract exast a major separate becomes available becomes available for this contract exast a major separate becomes available for the contract and the contract exast a major separate for the contract and	asting Conteration, and indicount the recess of the change of the change of the change of the cargo at the models of the models	minous lavidual acent dynamic depth dynamic dynamic depth dynamic depth dynamic depth dynamic dynamic depth dynamic dy	Inited State airport mic growth ating and at of 1978. Lastly, individual annual vided in all effort is anticic commuter in the all Technical Tech	by ipated industry public al
1	describes the models des Puerto Rico and the Virg activity. These forecas of the commuter industry marketing environment or A separate forecast is p modeling approaches were airports which the FAA e Terminal Area Forecast. the Appendices. The models developed und FAA to describe and Fore that there will be furth evolves and additional of New Words Commuter Air Carrier, Co Passenger Emplanements, Passenger Miles, Operati Miles	rigned for forecastin Islands, Hawats take into according to the Air reated by the Air recorded for compared to fix pects to utilic Descriptions of the this contract exast a major senter refinements lata becomes available for the contract of the contract	asting Conteration, and indicount the recessor of the change of the change of the change of the cargo at the models of the model	minous lavidual acent dynamic depth dynamic dynamic depth dynamic depth dynamic depth dynamic dynamic depth dynamic dy	Inited State irrport mic growth rating and it of 1978. Lastly, individual innual rided in it is anticipated in commuter in the commuter in th	by ipated industry public al ield,

Preface

The contents of this report reflect neither a position or an official policy of the Department of Transportation. This document is disseminated to the public in the interest of information exchange. The United States Government assumes no liability for the contents of this document or use thereof.

The work culminating in this report, Commuter Airlines Activity Forecasts, was performed under Department of Transportation contract number DOT-FA79WAI-138 with Wilson Hill Associates Inc., Washington, D.C. as the prime contractor and SRI International, Menlo Park, CA as the subcontractor.

The contract deliverables also included documentation of the data sources and files used in the development of the model which was delivered to FAA in November 1980 and a description of the computerized models for passenger commuter service delivered in May 1981. Interim reports, that were prepared during the development of the base data and the models for presentation at briefings, have been updated and incorporated where appropriate into this document.

Access	ion For				
NTIS	GRA&I	1			
DTIC 1	TAB				
Untana	mnced				
Junti:	fication				
Distr	By Distribution/				
Avai.	Availability Codes				
Avail and/or					
Dist	Specia	1			
A					

TABLE OF CONTENTS

SECTION	PAGE
PREFACE	i
ACKNOWLEDGEMENTS	vi
INTRODUCTION	viii
CHAPTER 1: PASSENGER MODELS	1
Background	1
U.S. Conterminous States	4
Hawaii and Puerto Rico/Virgin Islands	12
CHAPTER 2: CARGO MODELS	20
CHAPTER 3: LOCAL MODEL EVALUATION	25
CHAPTER 4: HISTORIC DATA COLLECTED FOR MODEL DEVELOPMENT	34
APPENDIX A - Description and Specification of Econometric Models	A-1
Conterminous USHawaii and Puerto Rico/Virgin IslandsCargo	
APPENDIX B - Quarterly Data and Forecasts	B-1
- Conterminous US Consensus Growth High Growth	
 Hawaii Puerto Rico and the Virgin Islands 	
APPENDIX C - Local Model Evaluation Addendum	C-1
Variable DefinitionsSample City Pair, Market Forecast Model	

LIST OF FIGURES

		PAGE
FIGURE 1.	CERTIFIED AIR ROUTE CARRIERS INCLUDED IN THE COMMUTER FORECAST	3
FIGURE 2.	DEFINITIONS AND SOURCES OF VARIABLES USED IN CONTERMINOUS US MODEL	7
FIGURE A-1.	DEFINITIONS OF VARIABLES	A-2

LIST OF TABLES

			PAGE
TABLE	1.	HISTORICAL AND FORECAST ANNUAL AVERAGE RATES OF GROWTH FOR CONTERMINOUS US MODEL INDEPENDENT VARIABLES	6
TABLE	2.	HISTORICAL AND FORECAST ANNUAL AVERAGE RATES OF GROWTH FOR SELECTED CONTERMINOUS US COMMUTER AIRLINE ACTIVITY VARIABLES	8
TABLE	3.	ACTUAL AND FORECAST VALUES OF CONTERMINOUS US COMMUTER AIRLINE ACTIVITY, CONSENSUS SCENARIO	10
TABLE	4.	ACTUAL AND FORECAST VALUES OF CONTERMINOUS US COMMUTER AIRLINE ACTIVITY, HIGH GROWTH SCENARIO	11
TABLE	5.	HISTORICAL AND FORECAST ANNUAL AVERAGE RATES OF GROWTH FOR HAWAII AND PUERTO RICO/ VIRGIN ISLAND MODELS INDEPENDENT VARIABLES	13
TABLE	6.	HISTORICAL AND FORECAST ANNUAL AVERAGE RATES OF GROWTH FOR SELECTED COMMUTER AIRLINE ACTIVITY VARIABLES: HAWAII AND PUERTO RICO/VIRGIN ISLANDS	15
TABLE	7.	ACTUAL AND FORECAST VALUES OF COMMUTER AIRLINE ACTIVITY FOR HAWAII (IN MILLIONS)	16
TABLE	8.	ACTUAL AND FORECAST VALUES OF COMMUTER AIRLINE ACTIVITY FOR PUERTO RICO/VIRGIN ISLANDS IN MILLIONS	17
TABLE	8-A.	ESTIMATED EFFECT OF NEW COMMUTER CARRIER ON COMMUTER AIRLINE ACTIVITY FOR HAWAII (IN MILLIONS)	19
TABLE	9.	CARGO CARRIED BY COMMUTER AIRLINES	22
TABLE	10.	HISTORICAL AND FORECAST ANNUAL AVERAGE GROWTH RATES FOR POUNDS OF CARGO CARRIED	23
TABLE	11.	COMPARISON OF LOCAL MODEL RESULTS	26
TABLE	12.	LOCAL GROWTH RATE MODEL	28
TABLE	13.	LOCAL TO NATIONAL GROWTH MODEL	30
TABLE	14.	MARKET FORECAST MODEL	32

LIST OF TABLES (CONT'D.)

		PAGE
TABLE 15.	OAG SCHEDULED OPERATIONS AND OPERATIONS REPORTED BY FAA TOWERS	37
TABLE 16.	BÓARDING AND LOAD FACTORS	38
TABLE A-1.	ECONOMETRIC ESTIMATES FOR REDUCED FORM EQUATIONS CONTERMINOUS US MODEL	A- 5
TABLE A-2.	ECONOMETRIC ESTIMATES FOR REDUCED FORM EQUATION: HAWAII AND PUERTO RICO/VIRGIN ISLANDS	A-8
TABLE A-3.	ECONOMETRIC ESTIMATES FOR CARGO EQUATIONS	A-10

ACKNOWLEDGEMENTS

The Commuter Airlines Activity Forecasts were prepared for the Planning Analysis Division of the FAA Office of Aviation Policy and Plans by Hazel Medville of Wilson Hill Associates, Inc. and by Claire Starry and Gerald Bernstein of SRI International. Regina VanDuzee of the Aviation Activities Division, represented FAA as the technical officer on the project and contributed much from her knowledge of the commuter airline industry.

As part of the task force to produce reasonable long-term forecasts of this dynamic industry, a committee selected from airlines, manufacturers, trade associations, and local and Federal government reviewed and commented on the forecasting effort throughout the study. Individuals serving on the committee included:

Bar Harbor Airlines - Allyn J. Caruso and Jeff Jenner

Baltimore Washington International Airport - Jim Truby

Civil Aeronautics Board - Robin Caldwell, Bruce Goldberg, Paul Gavel, and Mary Vavrina

Commuter Airline Association of America - Steve Smith and Alan R. Stephen

The de Havilland Aircraft of Canada, Ltd - Joseph Gude and Arthur F. Toplis

Ransome Airlines - Larry Crawford

San Jose Municipal Airport - Raul Regalado

Scheduled Skyways, Inc. - Raymond A. Young III

S.M.B. Stage Line - Robert Grammer

Transportation Systems Center - Robert N. Tap

James Hines of Wilson Hill Associates and Marika Garskis of SRI International contributed to this report by collecting and computerizing the data base and forecast models and by evaluating

the data to assure continuity and accuracy. Gene Mercer of the FAA
Office of Aviation Policy and Plans, Forecasting Branch provided
guidance and support throughout the forecasting process.

Hazel Medville Project Manager Wilson Hill Associates

INTRODUCTION

This publication presents forecasts of commuter air carrier activity and describes the models designed for forecasting Conterminous United States, Puerto Rico and the Virgin Islands, Hawaii, and individual airport activity. As the forecasts were developed, the forecasting team relied heavily on advice of members of the Forecast Committee whose knowledge of the real world problems of operating a commuter airline, handling expanding commuter traffic at airports and producing aircraft for commuter airlines was an invaluable aid. These forecasts take into account the recent dynamic growth of the commuter industry and the effects of the changed operating and marketing environment created by the Airline Deregulation Act of 1978.

Computerized models were used to prepare forecasts of passenger enplanements and operations through 1992 for the 48 conterminous states, Hawaii and Puerto Rico/Virgin Islands. A forecast for Alaska is not included because the structure of the commuter industry there differs markedly from that of the other states. A separate forecast is provided for commuter cargo activity which depends heavily on information and insights obtained from a number of major commuter cargo carriers. Lastly, modeling approaches were evaluated to forecast activity at individual airports which the FAA expects to utilize in preparing its annual Terminal Area Forecast. Descriptions of the models are provided in the Appendices. If further information is desired concerning the structure and use of these models, interested persons can contact the Office of Aviation Policy and Plans, Forecasting Branch, Federal Aviation Administration.

CHAPTER 1. PASSENGER MODELS

BACKGROUND

Commuter airlines constitute a growing sector of the United States commercial passenger aviation industry. During a time when certificated route air carriers have shown modest annual growth, the commuter air carriers have shown a 47.7 percent gain in the number of passengers enplaned within the conterminous States (Continental United States) and a 16.2 percent gain in scheduled operations. This is impacting both the national air system and groundside handling of passengers, cargo, aircraft. Service by these smaller aircraft at hub airports means more operations by a mixed fleet of aircraft which is adding to air traffic controllers workload. flexibility of these aircraft, service to non-FAA controlled airports has also increased, and with the increase, requests for sophisticated landing and takeoff systems to insure safe, timely, and non-weather dependent flights to cities and towns serviced by commuter airlines have also increased in number. At airports gate and terminal space shortages have occurred as carriers provide additional service with commuter aircraft and more frequently scheduled flights.

Commuter airlines were first required to register with the Civil Aeronautics Board (CAB) in 1969 and operated under CAB Economic Regulation Part 298. These airlines were defined as "operators which perform, pursuant to published schedules, five round trips per week between two or more points or carry mail." They were subject to limited regulatory and reporting requirements, were allowed free access to all markets and had no route protection. Under Part 298, the maximum size of commuter aircraft was first set at 12,500 pounds maximum takeoff weight and nineteen passenger capacity. This was later increased to a 7,500-pound payload with a maximum of 30 seats. The Airline Deregulation Act of 1978 permitted larger aircraft with the CAB regulation finally setting maximum capacity at 60 passengers.

Passage of the Deregulation Act accelerated the industry's growth because it (1) facilitated withdrawal of large certificated carriers from uneconomic short-haul routes, their commuter replacements offered frequent well-timed flights generating additional traffic, (2) permitted use of larger aircraft more attractive to the public and offering greater capacity, (3) made commuters eligible for the Equipment Loan Guarantee Program which aids them in the purchase of larger, improved aircraft, and (4) encouraged more joint fares and interline agreements with major carriers.

Before 1979, only two commuters, Air New England and Air Midwest, had become certificated carriers. The Deregulation Act made the certification process easier and less costly and the number of certificated commuters grew. These airlines either applied directly for certification or for certification on dormant routes no longer operated by the large carriers. A list of commuter carriers now wholly or partially certificated (dual authority) with their first Form 41 reporting dates is shown in Figure 1.

One of the first tasks of the working group (with the advice of the Forecast Committee) was to decide which carriers should be included in the forecast in order to properly describe the industry. The final decision was to include both part 298 and certificated passenger carriers utilizing aircraft seating 60 passengers or less and providing regularly scheduled service in accordance with published schedules. Cargo carriers included were those operating aircraft with a maximum payload of 18,000 pounds. These carriers typically have stage lengths of under 250 miles and serve as feeder lines to the trunk carriers with approximately 70 percent of the passengers interlining in 1979.

Commuter Airline Association of America, Annual Report, November 1980, p. 6.

CARRIER NAME	1st Report on Form 41	
Air Midwest	11/76	
Air New England	1/751	
Air Wisconsin	7/79	
Altair Airlines	1/79	
Cochise	1/79	
Golden West	2/79	
Mississippi Valley	6/79	
New Haven (New Air)	5/79	
Sky West Aviation	7/79	
Southeast	7/79	
Swift Aire	1/79	
Apollo	5/79	
Big Sky	6/79	
Empire	1/80	
Imperial	12/79	

1. 1st data month used in this study

FIGURE 1. CERTIFIED AIR ROUTE CARRIERS INCLUDED IN THE COMMUTER FORECAST

Past modeling efforts have produced models in which the growth of commuter activity was linked to air carrier activity. Sufficient data have been collected during this project to permit the use of more sophisticated and improved modeling techniques. Forecast models of the commuter airline activity were developed for the conterminous United States (48 contiguous states and the District of Columbia), for the State of Hawaii, and for the U.S. Carribean areas, Puerto Rico and U.S. Virgin Islands. These latter two areas were considered significantly different from conterminous US to warrant separate analysis. A technical discussion of the models is provided in Appendix A.

CONTERMINOUS UNITED STATES

2

As indicated earlier, commuter activity has been increasing much faster than trunk and regional airline activity. Although this growth has not shown signs of tapering off, new market opportunities and the growth of per capita income will probably slow down, so that the growth in commuter activity will remain strong, but will not be as rapid as in the late 1970s. Market saturation, which will likely occur sometime after the forecast period, will eventually limit the rate of increase in commuter airline activity.

The generation of new origin destination pairs significantly influences the rate of growth in commuter enplanements and operations. The number of origin destination pairs increased about 15 percent per year during the late 1970s, and although many new market opportunities are expected to emerge in the 1980s, this growth rate is forecast to gradually taper off to an average of 8 percent to 9 percent per year during the 12-year forecast period, 1981 to 1992 as shown in Table 1.

See Systems Analysis and Research Corporation (SARC), "Forecasts of Commuter Airlines Activity," Report No. FAA-AVP-77-28 (July 1977) and "Update of Commuter Forecast Model," Final Report (May 1978).

Another important factor is general economic growth, as represented by constant dollar gross national product (GNP). As a rule air carrier traffic has grown faster than GNP, and commuter activity is no exception. Forecasts of constant dollar GNP growth in the 1980s were obtained from Wharton Econometric Forecasting Associates, Inc., and formed the basis for the scenario summarized in Table 2. Another scenario, based on lower GNP and origin-destination pair growth, was also examined.

Other independent variables included in the model are average seating capacity, fuel prices, automobile operating costs, average stage length, average distance per enplanement, and a variable to capture the effects of deregulation. The historical and average forecast growth rates for these variables are provided in Table 1; actual quarterly data and quarterly forecasts are shown in Appendix B.

The model forecasts seat miles, revenue passenger miles, operations, enplanements, and an inflation adjusted index of passenger fares charged. Definitions of these variables, as well as the independent variables used, are listed in Figure 2. The model results indicate continued rapid growth in commuter activity, although at rates below those experienced in the late 1970s (see Table 2). The ability of commuters to find new market niches will decline as market saturation occurs, but it appears complete market saturation will not occur during the forecast period. Changes in the regulatory environment or reduced assistance for essential air service may inhibit growth later in the 1980s. By the end of the 1980s and early 1990s, the rate of increase will be about half the rate recorded during the late 1970s, which started from a very small base. enplanements are expected to reach at least 25 million by 1987 and more than 37 million in 1992.

TABLE 1. HISTORICAL AND FORECAST ANNUAL AVERAGE RATES OF GROWTH FOR CONTERMINOUS US MODEL INDEPENDENT VARIABLES

		PERCENT GROWTH	
		FORECASTED 1	.981-1992
	ACTUAL 1975-1979	HIGH GROWTH SCENARIO	LOW GROWTH SCENARIO ²
Gross National Product (1972 dollars)	4.5	3.9	3.3
Origin-Destination City Pairs (O-D)	15.0	9.0	8.0
Average Seating Capacity	1.8	4.4	4.4
Fuel, in 1972 Cents Per Gallon	8.0	2.5	2.5
Index of Automobile Operating Costs Relative to General Inflation	3.1	0.1	0.1
Average Stage Length	n.a ³	3.0	3.0
Average Distance Per Enplanement	2.8	2.1	2.1

^{1.} GNP growth based on Wharton Econometrics Forecasting Associates, Inc; forecast dated March 1980.

^{2.} GNP growth based on a more consecutive growth than the Wharton forecast prepared by Claire Starry, SRI International.

^{3.} Average stage length between 1975 and 1979 was 106.7 miles. The lowest value was for 1978 second quarter (96.1 miles) and the highest values was for 1979 first quarter (115.2 miles).

DEPENDENT VARIABLES	DEFINITIONS/SOURCES
Passenger Enplanements	From Civil Aeronautics Board (CAB) Part 298 data and selected Form 41 data.
Revenue Passenger Miles	Calculated by multiplying enplaned passengers by distance flown. Data from CAB Part 298 and selected Form 41 data.
Operations	OAS scheduled flights multiplied by 2 to compute takeoffs and landing operations.
Seat Miles	Calculated using scheduled flights by aircraft type from the Official Airline Guide (OAG) computer tapes multiplied by average segment (distance), also OAG data, and then by number of seats normally installed in the aircraft type.
Fare Index	Consumer Price Index on all airline fares (no separate one for commuters is available) divided by the index of general inflation. Data from Department of Labor, "Consumer Price Index," and Department of Commerce, "Survey of Current Business," various issues.
INDEPENDENT VARIABLES	
Origin-Destination Pairs	Sum of the number segments provided by each airline, from CAB Part 298 data.
Gross National Product	In constant 1972 dollars, from Department of Commerce, "Survey of Current Susiness."
Auto Operating Cost Index	Consumer Price Index for owner operated transportation, adjusted for general inflation. Data from Department of Labor, "Consumer Price Index."
Fuel Costs	Price for fuel paid by commuters, approximately equal to retail price per gallon of aviation gasoline (taxes not included) as reported in Department of Energy, "Monthly Energy Review," various issues.
Average Seating Capacity	Computed from mix of aircraft reported in OAG computer tapes weighted by scheduled flights.
Average Distance Flown	Mean trip length in miles per emplaned pas- senger, from CAB Part 298 data and selected Form 41 data.
Average Stage Length	Mean stage length per operation, from OAG computer tapes.
Seasonal Factors	Because quarterly data were used, seasonal adjustment factors were included in the model. The variable is equal to a 1 or 0.
Deregulation	A variable to capture the effects of deregulation, before second quarter 1978 the variable is a zero and from that date on it is equal to 1.

FIGURE 2. DEFINITIONS AND SOURCES OF VARIABLES USED IN CONTERMINOUS UNITED STATES MODEL

TABLE 2. HISTORICAL AND FORECAST ANNUAL AVERAGE RATES OF GROWTH FOR SELECTED CONTERMINOUS US COMMUTER AIRLINE ACTIVITY VARIABLES

		PERC	ENT GROWTH	
	ACTUAL 975-1979	1981-1985	FORECAST 1986-1992	1981-1992
CONSENSUS SCENARIO				
Seat Miles	19.1	10.6	10.1	10.3
Revenue Passenger Miles	23.8	14.0	10.5	11.9
Operations	16.2	6.6	5.2	5.7
Passenger Enplanements	47.7	11.6	8.4	9.6
Fare Index	nil	0.7	1.6	1.2
HIGH GROWTH SCENARIO				
Available Seat Miles	19.1	11.2	10.6	10.8
Revenue Passenger Miles	23.8	15.3	10.9	12.7
Operations	16.2	7.5	5.6	6.1
Passenger Enplanements	47.7	12.8	8.8	10.4
Fare Index	nil	1.3	2.2	1.8

Even with a less optimistic scenario, the forecast rate of growth for commuter activity is higher than for the large certificated carriers. Under the consensus scenario, there are fewer new market opportunities available to the commuters, and slower growth in GNP limits the increase in air travel.

The inflation adjusted index of fares charged by commuters is expected to increase gradually. During the mid to late 1970s, fares increased at about the same rate as inflation. With higher fuel prices and expanded service areas, the average fare is forecast to increase about one to two percentage points above inflation.

Forecasts for the two scenarios are given in Tables 3 and 4. In the consensus growth scenario, revenue passenger miles and seat miles increased by about 330 percent between 1979 and 1992, while enplanements increase by about 235 percent and operations by about 150 percent. Longer distances flown by passengers and larger aircraft account for the differences. In the high growth scenario, seat miles and revenue passenger miles increase by over 350 percent between 1979 and 1992, enplanements by about 270 percent and operations by 170 percent. The average load factor increases from 51 percent in the late 1970s to 55 percent in the consensus growth and 57 percent in the high growth scenario by 1992. The fares charged are higher under the high growth scenario, reflecting the ability of the carriers to raise fares when demand is strong.

Table 3

ACTUAL AND FORECAST VALUES OF CONTERMINOUS US COMMUTER AIRLINE ACTIVITY, CONSENSUS SCENARIO

YEAR	SEAT MILES (in millions)	PASSENGER MILES (in millions)	PASSENGER ENPLANEMENTS (in millions)	COMMUTER OPERATIONS (in millions)
Actual:				
1975	1415.050	616.09	5.26	2.036
1976	1482.779	674.90	5.83	2.214
1977	1668.369	841.32	7.05	2.531
1978	1913.835	1031.09	8.55	2.812
1979	2843.252	1447.06	11.04	3.677
Forecast:				
1981	3863.7	1803.25	13.50	4.843
1982	4328.9	2101.44	15.36	5.228
1983	4778.0	2396.07	17.17	5.559
1984	5260.6	2713.66	19.01	5.903
1985	5788.2	3050.45	20.93	6.244
1986	6359.4	3421.30	22.92	6.615
1987	7013.6	3817.38	25.03	6.985
1988	7748.4	4239.24	27.26	7.354
1989	8562.5	4694.30	29.61	7.734
1990	9430.0	5171.75	32.02	8.114
1991	10382.6	5676.16	34.50	8.497
1992	11382.6	6217.55	37.11	8.890

Table 4

ACTUAL AND FORECAST VALUES OF CONTERMINOUS US COMMUTER AIRLINE ACTIVITY, HIGH GROWTH SCENARIO

YEAR	SEAT MILES (in millions)	PASSENGER MILES (in millions)	PASSENGER ENPLANEMENTS (in millions)	COMMUTER OPERATIONS (in millions)
Actual:	**************************************			
1975	1415.05	616.09	5.26	2.036
1976	1482.78	674.90	5.83	2.214
1977	1668.37	841.32	7.05	2.531
1978	1913.84	1031.09	8.55	2.812
1979	2843.25	1447.06	11.04	3.677
Forecast:		•		
1981	3884.8	1819.97	13.63	
1982	4341.4	2123.98	15.53	
1983	4811.6	2445.67	17.53	
1984	5348.6	2812.89	19.70	
1985	5943.8	3213.89	22.05	
1986	6570.0	3651.49	24.46	
1987	7283.9	4117.10	26.99	
1988	8078.7	4596.32	29.55	
1989	8957.8	5106.49	32.21	
1990	9894.4	5635.58	34.88	
1991	10906.6	6191.64	37.63	
1992	12010.3	6788.63	40.52	

HAWAII AND PUERTO RICO/VIRGIN ISLANDS MODELS

The models developed for Hawaii and Puerto Rico/Virgin Islands are structured differently than the national model. Reasons for this difference include the structure of the 48-state market versus those of Hawaii and Puerto Rico/Virgin Islands and the lack of data available for these latter two areas. Over 70 percent of commuter passengers in Hawaii are state residents, and most of them are on business. Most tourists use the larger inter-island carriers, Aloha and Hawaiian Airlines. level land for airports is very scarce in Hawaii, the possibilities for the construction of new airports is limited. will come primarily from increased business related travel and from local and tourist recreation or personal business related trips. Commuter aircraft used in Hawaii are small, about 4.5 seats per aircraft. However, the establishment of a new carrier operating 60-seat aircraft will raise the average substantially to about 24 in 1982.

Table 5 gives the historic and forecast growth rates of the independent variables used in the models. Disposable income (in constant dollars) is an important factor influencing enplanements in Hawaii. In general, disposable income will be growing faster than it did in the late 1970s, but will not increase as fast as for the United States as a whole. Average distances flown in Hawaii are short—about 85 to 90 miles. Because no new airports are being planned before 1992, it is likely that this variable will not change significantly in the forecast period.

Puerto Rico/Virgin Islands commuter activity experienced little growth during the period from 1975 to 1979. Tourism, which provides an important part of the region's commuter passengers, leveled off, and the construction of a new airport reduced the

TABLE 5. HISTORICAL AND FORECAST ANNUAL AVERAGE
RATES OF GROWTH FOR HAWAII AND PUERTO RICO/VIRGIN ISLAND
MODELS INDEPENDENT VARIABLES

	PERCENT GROWTH		
	ACTUAL 1975-1979	FORECAST 1981-1992	
<u>Hawaii</u>			
Disposable Personal Income (1972 dollars)	2.2	2.5	
Average Stage Length	2.0	0.6	
Average Distance per Passenger	2.0	0.6	
Average Size of Aircraft	-0.9	2.0	
Puerto Rico/Virgin Islands			
Personal Income (1972 dollars)	4.8	3.5	
Average Stage Length	0.2	nil	
Average Distance per Passenger	0.2	nil	
Average Size of Aircraft	-1.0	nil	

^{*}A new commuter carrier has started operations in Hawaii utilizing 60 passenger aircrafts. This should affect the average size of aircraft and the forecasts of operations, revenue passenger miles, and enplanements.

need for some short-haul traffic. As with Hawaii, the average distance flown in Puerto Rico/Virgin Islands is short, about 65 to 70 miles, but the average size of aircraft is about 15 seats. There does not appear to be any potential for adding new, longer haul markets.

Based on the assumed changes in the independent variables described above, forecasts of commuter activity in the two areas were developed. Summary growth rates are provided in Table 6. Seat miles in Hawaii are forecast to increase about 30 percent between 1981 and 1985 while passenger miles are forecast to increase 33 percent for the same period. This sudden spurt in traffic is the result of the start-up of a new commuter carrier operating 60-passenger YS-11s and offering fares substantially under the certificated carrier rate. After the carrier becomes fully established, growth is expected to level off during the last part of the decade. This pattern is a reversal of the one recorded during the late 1970s, when passenger miles increased twice as fast as seat miles. Enplanements will be growing somewhat slower than in the late 1970s, but still at 8 to 11 percent per year. Operations, which increased dramatically in the late 1970s as short trips to less traveled parts of Hawaii became prevalent, will increase rapidly as the new carrier adds aircraft and departures, but will stabilize after 1988.

The stagnant condition of commuter acitvity in Puerto Rico/Virgin Islands is forecasted to continue. Seat miles actually declined in the late 1970s, but are expected to increase between 1.5 percent and 2.0 percent per year. miles are forecast to grow slightly faster, as are enplanements. Operations should increase at a slightly slower rate than seat miles because of the addition of larger aircraft to the fleet in 1980. There does not appear to be reason for average segment length to change.

TABLE 6. HISTORICAL AND FORECAST ANNUAL AVERAGE RATES OF GROWTH FOR SELECTED COMMUTER AIRLINE ACTIVITY VARIABLES: HAWAII AND PUERTO RICO/VIRGIN ISLANDS

	PERCENT GROWTH			
	ACTUAL FORECAST			
	1975-1979	1981-1985	1986-1992	1981-1992
<u>Hawaii</u>				
Seat Miles	9.8	30.5	4.2	13.8
Passenger Miles	19.6	33.6	3.9	14.7
Passenger Enplanements	18.0	33.7	3.7	14.6
Operations	23.5	16.4	6.6	10.4
Puerto Rico/Virgin Islands		٠		
Seat Miles	-0.2	1.6	1.7	1.7
Passenger Miles	3.7	1.9	2.1	2.0
Passenger Enplanements	2.7	1.9	2.1	2.0
Operations	2.7	1.6	1.7	1.7

TABLE 7. ACTUAL AND FORECAST VALUES OF COMMUTER AIRLINE ACTIVITY FOR HAWAII (IN MILLIONS)

YEAR	SEAT MILES	PASSENGER MILES	PASSENGER ENPLANEMENTS	COMMUTER OPERATIONS
Actual				
1975	30.62	14.60	0.178	0.095
1976	36.13	18.59	0.220	0.113
1977	39.55	20.50	0.245	0.136
1978	44.21	28.23	0.349	0.200
1979	44.52	29.90	0.345	0.221
Forecast				
1981	128.63	74.45	0.864	0.253
1982	246.20	148.25	1.726	0.326
1983	290.06	180.68	2.103	0.373
1984	329.36	206.71	2.404	0.418
1985	374.35	236.97	2.757	0.464
1986	414.80	267.39	3.108	0.510
1987	425.29	294.60	3.422	0.544
1988	477.20	316.55	3.673	0.596
1989	489.02	322.53	3.736	0.633
1990	503.81	326.79	3.778	0.670
1991	517.22	331.24	3.822	0.709
1992	531.39	335.84	3.867	0.750

TABLE 8. ACTUAL AND FORECAST VALUES OF COMMUTER AIRLINE ACTIVITY FOR PUERTO RICO/VIRGIN ISLANDS (IN MILLIONS)

YEAR	SEAT MILES	PASSENGER MILES	PASSENGER ENPLANEMENTS	COMMUTER OPERATIONS
Actual				
1975	168.35	82.36	1.284	0.254
1976	162.69	78.45	1.200	0.244
1977	157.64	78.88	1.185	0.242
1978	146.54	83.57	1.239	0.266
1979	166.80	95.26	1.428	0.283
Forecast				
1981	165.18	90.56	1.372	0.275
1982	167.70	92.22	1.397	0.279
1983	170.32	93.95	1.424	0.284
1984	173.02	95.74	1.451	0.288
1985	175.82	97.59	1.479	0.293
1986	178.81	99.50	1.508	0.298
1987	181.71	101.48	1.538	0.301
1988	184.81	103.53	1.569	0.308
1989	188.04	105.66	1.601	0.313
1990	191.36	107.86	1.634	0.319
1991	194.80	110.13	1.669	0.325
1992	198.37	112.49	1.704	0.330

Actual forecasts are presented in Table 7 for Hawaii and Table 8 for Puerto Rico/Virgin Islands; the quarterly forecasts are shown in Appendix B. Forecasts of average fares were not developed because data were not available. Total percentage increases in commuter activity in Hawaii are similar to those forecast for the 48 states. Puerto Rico/Virgin Island commuter activity is forecast to grow under 20 percent over the 12-year forecast period.

Adjustments were made to the model forecast for Hawaii to show the expected effect of Mid-Pacific Airlines entering the commuter airline market with 60-seat YS-11's in spring of 1981. The airline is expected to attract passengers from the trunk carriers. By 1988 their options on eleven aircraft should be fulfilled and the growth in passengers should level off. Table 8-A reflects our assumptions of Mid-Pacific Airlines' effect on commuter airline activity in Hawaii.

TABLE 8A. ESTIMATED EFFECT OF NEW COMMUTER CARRIER ON COMMUTER AIRLINE ACTIVITY FOR HAWAII (IN MILLIONS)*

YEAR	SEAT MILES	PASSENGER MILES	PASSENGER ENPLANEMENTS	COMMUTER OPERATIONS
Ageusl				
Actual				
1975	30.62	14.60	0.178	0.095
1976	36.13	18.59	0.220	0.113
1977	39.55	20.50	0.245	0.136
1978	44.21	28.23	0.349	0.200
1979	44.52	29.90	0.345	0.221
Forecast				
1981	138.00	89.73	1.035	.279
1982	257.18	164.38	1.905	.337
1983	309.76	198.87	2.304	.382
1984	343.89	227.01	2.627	.427
1985	390.83	259.39	3.000	.473
1986	433.35	292.04	3.376	.520
1987	446.04	321.60	3.714	.561
1988	500.29	345.93	3.989	.612
1989	514.53	354.41	4.077	.656
1990	532.48	361.30	4.145	.700
1991	548.70	368.44	4.216	.746
1992	565.84	375.82	4.288	.794

^{*} MID PACIFIC AIRLINES ENTERED THE HAWAIIAN COMMUTER MARKET WITH YS-11, 60 passenger aircraft in spring 1981.

CHAPTER 2: CARGO MODEL

All-cargo commuter activity has also experienced record growth during the past several years. The use of overnight small package delivery by commercial and manufacturing establishments has been augmented by the growth in the service and financial sectors, the more widespread use of high technology products, and more effective inventory control. Commuter airlines have responded to this market opportunity by increasing their common carrier and contract operations.

Future opportunities for commuters are good. The growth areas of the economy are those that tend to support the use of air freight and overnight deliveries, but the poor facilities available to all-cargo commuters at many airports may limit A lack of sufficient facilities has reduced these operations at many airports, while other airports that have provided adequate space have attracted considerable growth in all-cargo operations. A second growth-limiting factor is the greater use of trucking operations for many short haul market pairs. Deregulation of air and truck services allows for more flexibility in intermodal operations that may result in the demise of air service for some of the routes easily and efficiently served by trucks. Routes where trucks are able to provide overnight service are most likely to show declines. Other routes, longer and more heavily used, should continue to experience substantial growth.

Aircraft used by all-cargo carriers will increase in size, at rates higher than for the passenger carriers. In a survey of some of the major commuter cargo airlines, many reported planned retirement of their aircraft in the 3000-pound payload range with replacement by larger aircraft with payload capacities of up to 18000 pounds or even larger jet aircraft. The use of

larger aircraft implies that operations will not increase, or increase slowly, even though cargo carried is forecast to increase substantially.

Forecasts developed for pounds of cargo carried by all commuter airlines are shown in Table 10. Because of data limitations, it was not feasible to identify cargo carried by all-cargo carriers, excluding Federal Express, as was the specification for this study. For the years 1975 to 1977 these data were collected and are given in Table 9. For the three years available, pounds of cargo carried by all-cargo airlines excluding Federal Express accounted for about 52 percent to 53 percent of the total for all cargo carriers. operators indicated that this percentage share should remain at or exceed the historic level because of the limited cargo carrying capacity of most passenger commuter operations. Growth in cargo carried by air freight forwarders, however, should exceed the growth in the other all-cargo commuter airlines. general, the percent rate of increase in cargo carried by the all-cargo carriers (excluding major air freight forwarders) can be assumed to approximate that for cargo carried by all commuters.

A definite break in the upward trend of cargo pounds carried by commuters occurred in 1978. Pounds carried increased by 48 percent between 1977 and 1978, significantly in excess of the 30 percent per year average between 1970 and 1977 and 12 percent per year between 1978 and 1980. The large increase in 1979 is generally attributed to the impact of deregulation. The major impacts of deregulation are fairly well completed, and large jumps are not expected in the future.

Growth in cargo carried is forecast to increase about 6 percent to 8 percent per year to 1985 and then from about 4 percent to 7 percent per year between 1986 and 1992. (See Table 10.) Three

TABLE 9

CARGO CARRIED BY COMMUTER AIRLINES (in thousands of pounds)

			.]	Predicted	
			GNP-High	GNP-LOW	
	<u>Actual</u>		Growth	Growth	Trend
1970 1971 1972 1973 1974 1975 1976 1977 1978 1979	43,527 51,203 74,573 92,963 138,279 169,203 216,811 271,242 401,638 475,000 500,000	(89,304)* (116,203)* (137,722)*	15,191 46,006 99,180 157,043 151,181 139,374 195,060 254,765 433,730 472,333 470,575	15,191 46,006 99,180 157,043 151,181 139,374 195,060 254,765 433,730 472,330 470,575	14,976 48,476 81,976 115,475 148,975 182,475 215,974 249,474 425,380 458,879 492,379
1981 1982 1983 1984 1985 1986 1987 1988 1989 1990 1991			482,968 511,690 535,807 592,162 651,868 704,623 789,784 816,915 876,453 938,168	469,066 486,066 528,438 567,208 607,319 649,021 693,653 740,295 788,696 838,687 889,767 942,941	525,879 559,378 592,878 626,378 659,878 693,377 726,877 760,377 793,876 827,376 860,876 894,370

Source: Historical data: Commuter Airline Association of America "1980 Annual Report, Commuter Airline Industry" Washington, D.C. (November 1980); forecasts generated by SRI International.

Cargo carried by all-cargo operators and excluding Federal Express.

TABLE 10

HISTORICAL AND FORECAST ANNUAL AVERAGE GROWTH RATES
FOR POUNDS OF CARGO CARRIED BY COMMUTERS
(percent per year)

Pounds of Cargo	Ac	Actual Forecast		st
Carried	1970-1977	1978-1980	1981-1985	1986-1992
High growth GNP	29.9	11.6	7.8	7.2
Low growth GNP	29.9	11.6	6.7	6.4
Trend line	29.9	11.6	5.8	4.3

separate forecasts were developed; the first two relate cargo carried to GNP (in constant 1972 dollars) and the third is a trend extrapolation. The high and low GNP scenarios discussed in Chapter 1 were used to generate the cargo pound forecasts given in this section. The trend extrapolation equation provided a better fit between predicted and actual historic data, and also resulted in the lowest growth scenario. The more conservative forecasts, therefore, may be the more realistic ones. As indicated earlier, all-cargo operators are moving toward larger turboprop and even jet aircraft. The growth in size of aircraft in this segement of the industry will probably exceed that for the passenger oriented airlines. Average annual growth of 4 percent to 6 percent, with more rapid increases early in the forecast period, indicates that all-cargo operations will not grow significantly. This result is somewhat misleading, because growth will be strong in many of the busier airports, but will drop off significantly on routes where trucks can easily and effectively replace aircraft. Also, because the amount of cargo handled will increase significantly, about doubling in size over the forecast period, the storage and handling space at airports required by all-cargo commuters will likewise need to increase.

CHAPTER 3: LOCAL MODELS EVALUATION

Commuter enplanements at an airport are influenced by a variety of transportation and demographic factors unique to each community. Availability of alternate forms of travel—either certificated air service or the automobile—will influence a traveler's decision to take a commuter flight, as well as timing and routing of flights. Perceived levels of comfort and safety will also have an effect. The location of a major hub airport relative to the originating community will influence mode choice, as will the economic activity within that community.

To reduce the evaluation of demand at over 600 locations served by commuter carriers to manageable proportions, a sample approach was adopted in which six cities of varying size and service were selected and a five-year (1975-1979) history of their commuter service and traffic was examined in detail. These cities were:

Boston, Massachusetts (a large hub); Indianapolis, Indiana (a medium hub); Spokane, Washington (a medium/small hub); Abilene, Texas, and Lake Tahoe, California (towered nonhubs); and Altoona, Pennsylvania (nontowered, nonhub).

Three types of models were evaluated; these included a local growth rate model, a model relating local to national growth, and a market (origin-destination) forecast model. Examples of the results from each approach are described separately; the conclusions are summarized in Table 11. Two of the approaches evaluated yielded fair to good statistical and intuitive descriptions of commuter activity of a city. The overall results, demonstrate that local commuter activity is dependent on an exceptionally diverse set of causal factors that will require

Table 11
COMPARISON OF LOCAL MODEL RESULTS

Type Model	Statistical Validity	Advantages	Disadvantages
Growth rate	Poor	 Ease of application to any location Variables readily available or easy to forecast Computationally simple 	 Poor statistical results Oversimplified Fails to reflect adequately many causal relations Applicable to previously served locations only
Local to national growth	Mixed, some good estimates	 Ease of application to any location Variables are generally available or forecastable 	 Requires national commuter and certificated carrier enplanement models as prerequisite Applicable to previously served locations only
Market forecast	Fair to good	 Replicates specific city- pair characteristics Applicable to previously served and new locations Independent of any other forecast 	. Contains location specific dummy variables . Has to be incorporated in a larger program to be used nationally

further effort to identify and quantify before a definitive model can be developed. None of the models reported herein is considered complete at this stage. An increase in the number of sample cities would provide a broader base for testing alternative model formulations by size or hub-status.

Growth Rate Model

This technique measures the annual percentage increase in commuter enplanements at a community as a function of changes in community and air service characteristics. The variables used, their definition, and the results are indicated in Table 12. The rationale for this approach is that increased population, increased commuter frequency and changes in certificated carrier frequency and enplanements will affect commuter enplanements. The results in the table are typical of those obtained from this approach; introducing dummy variables to identify unexplained jumps or drops in traffic between quarters of a year improved results slightly. Tahoe and Altoona were eliminated from the data base due to data problems.

The signs of the coefficients are mixed; frequency effects are positive (as expected) with the year previous change exerting a strong influence. Population changes would be expected to show positive correlation, not negative. Certificated carrier frequency and enplanements would also, in most of these cities, be expected to show a positive influence. In Abilene, the relationship might be negative due to the effect of Texas International on Chaparral. Reestimating the model without Abilene did not change results significantly. None of the dependent variables is significant without a 90% confidence interval.

The strength of this approach is its apparent simplicity and ease of application in that all dependent variables are readily

Table 12
LOCAL GROWTH RATE MODEL

Dependent variable: annual enplanements (TRAF)

Independent variables:

Abbreviation	Description
POP	Population of locality in specified year
FRQ1	Number of commuter departures in the specified year
FRQ2	Number of commuter departures the year previous
CFRQ	Number of certificated carrier departures in the
	specified year
CENP	Number of certificated carrier enplanements in the
	specified year

How measured:

The percent change (positive or negative) in all variables is measured from the preceding year. These are indicated by the prefix "D" before the abbreviation.

Results:

<u>Variable</u>	Estimate	<u>t-Ratio</u>
Intercept	0.38	1.35
DPOP	-8.90	-0.43
DFRQ1	0.15	0.28
DFRQ2	0.47	0.74
DCFRQ	-0.03	-0.02
DCENP	-0.03	-0.02
	N=14	$R^2 = 0.37$

obtainable or capable of being estimated. It is, however, the least accurate of the model approaches evaluated.

Local_To National Growth Model

The second forecast technique evaluates local changes in enplanements or operations in relation to national changes. Such a technique provides a local forecast by developing unique local growth factors that are derived from national growth. The relation between local growth and national growth in enplanements and operations was explored.

Table 13 summarizes the results. Both operations and enplanement growth forecasts were evaluated. Those for enplanement growth yielded better results.

Two enplanements (TRAF) forecasts are presented. The first of these, using all independent variables, obtains inconclusive re-Population change acts as a strong predictor, but the signs of disposable income and frequency are contrary to expectation. The expected sign of the certificated frequency coefficient is unclear as a positive value would be anticipated where feeder effects dominate (e.g., Boston and Spokane), but negative where competition is heavy (Tahoe, Abilene and Indianapolis). Attempting to group the cities by these criteria did achieve some improvements. The forecast model for the smaller cities (the second entry in Table 13) shows an acceptable predictor. The two variables--disposable certificated departure frequency--can be seen to act as good predictors of commuter enplanement growth. Additional effort at categorizing cities and developing a "family" of predictors is indicated. Forecasting local enplanement growth in relation to national emplanement increases has potential.

Table 13 LOCAL TO NATIONAL GROWTH MODEL

Dependent Variable(s): annual emplanements (TRAF) or operations (OPNS) at each locality.

Independent Variables:

Abbreviation	Description				
POP	Population of each locality in the specific year				
DISINC	Per capita disposable income				
FRQ	Number of commuter departures annually (NTAKEOFFS is the equivalent national variable)				
CFRQ	Number of certificated carrier departures performed annually at each locality (ACOPS is the equivalent national variable).				
LD1	Local Dummy Variable for Altoona				
LD2	Local Dummy Variable for Lake Tahoe				
LD3	Local Dummy Variable for Abilene				
LD4	Local Dummy Variable for Spokane				
LD5	Local Dummy Variable for Indianapolis				

How measured:

Each variable is expressed as the ratio between that variables percent change in the locality from the previous year to the equivalent national variables change between the same years. RC prefixes the variables to indicate the ratio of change.

Results: RCTRAF (all cities)

Variable	Estimate	t-Ratio
Intercept	9.05	0.84
RCPOP	14.07	4.88
RCDISINC	-3.82	-0.53
RCFRQ	-0.56	-0.69
RCCFRQ	-3.01	-10.12
	N=24	$R^{2}=0.90$

RCTRAF (Altoona, Lake Tahoe, Abilene and Indianapolis)

Intercept	-10.21	-0.40
RCDISINC	21.21	1.57
RCCFRQ	-3.14	-5.61
	N=16	$R^2 = 0.77$

Market Forecast Model

The third technique evaluated forecasts of the actual traffic volume for any origin-destination pair of cities as a function of their demographic characteristics, their distance, the availability of markets to alternate hub airports, and the level of air service provided. Information was compiled for markets between the six sample cities and other cities to which they are connected by commuter service.

Minimum criteria were established to select markets for the data base:

- Service in the market had to be provided for at least two full, consecutive years by at least one carrier;
- o Service was not started during any of the sample years;
- o No unusual jump or drop in traffic (other than seasonal variations) occurs during any quarter of a year; and
- o A minimum of 1,000 annual passengers should travel in the market.

All Lake Tahoe markets were eliminated due to a very unstable commuter history. The results are summarized in Table 14. The city-pair traffic volumes are summarized in Appendix C.

The results are good statistically. Only the sign of ALT 2-which identifies better hub access in another market than the one modeled--is contrary to expectation. GDIST appears to be a good replacement for distance, avoiding the problem that traffic would increase with distance up to approximately 120 miles (positive correlation), then would decrease (negative correlation).

Table 14
MARKET FORECAST MODEL

Dependent variable: Annual traffic volume (TRAF) in a directional market (between a specified origin-destination pair of cities).

Independent variables:

Abbreviation	Description		
РОРО	SMSA or county population (if not SMSA) in which the nonhub or smaller hub airport ("origin") of a city-pair is located by year.		
POPD	SMSA population in which the hub or larger hub airport ("destination") is located by year.		
GDIST	A statistical value derived from the distance between cities. See Appendix C .		
FRQ	The number of annual commuter departures from origin to destination.		
CFRQ	The number of annual certificated carrier departures from origin to destination.		
FRQPOPO, CFRQPOPO	The number of annual commuter and certificated departures divided by the annual origin population.		
ALT1, ALT2	Dummy variables reflecting air access from the origin to hub airports other than the destination. See Appendix C .		

How measured: Each variable is expressed as its numeric value for each year.

Results: TRAF

Variable	Estimate	t-Ratio
Intercept	-37,857.20	-5.71
POPD	9.55	10.94
GDIST	213,898.10	6.25
ALT1	-1,476.17	-0.67
ALT2	19,418.34	4.94
FRQPOPO	231.65	2.48
CFRQPOPO	-283.44	-1.82
	N=58	$R^2 = 0.82$

The results of this model suggest that a "family" of similar models could be developed by segmenting market types into district categories (e.g., large hub to large hub, nonhub to large hub, etc.). For the FAA to utilize this type of forecasting model, a comprehensive computer program would be needed in which all O-D volumes would be calculated, reversed to provide two-way traffic, then assembled by origin city to provide a forecast for each locality.

CHAPTER 4: HISTORIC DATA COLLECTED FOR MODEL DEVELOPMENT

Data collected for evaluation during the model development effort was extracted from the following sources:

- O Civil Aeronautics Board Commuter Air Carrier Statistics Online O & D (Part 298) data, 1975-1979 as extracted on tape by the National Archives and Record Service in July 1980
- Official Airlines Guide (OAG) data for March, June, September and December 1975-1979 as edited by FAA and stored on the OAG "Miles" data tapes
- o Air Traffic Activity system data for FAA towered airports, summed to quarters, 1975-1979
- o Aircraft descriptions keyed from data in tables printed in the OAG 1977-1979, from Jane's, and miscellaneous sources
- o Civil Aeronautics Board, aircraft inventories, published annually in June, for 1975 through 1979
- o The Computer Company (TCC) data based on the CAB form 41 data for the small certificated carriers considered as commuters in this study (See Figure 2).
- o Base year and forecast variables for GNP, fare, other trans fuel, personal income, disposable personal income.

The OAG data, CAB Part 298 data, and Air Traffic Activity data were accumulated by geographic entity, year and quarter, and class of service.

The geographic entities used for accumulating the base data were:

US: The 48 conterminous states and the District of Columbia

HI: Hawaii

AK: Alaska

VI: US Virgin Islands

PR: Puerto Rico

IN: International (CAB only)

The US Virgin Islands and Puerto Rico were combined for forecasting purposes because of their proximity and similarities in their economies. Due to the nature of the airline industry in Alaska, it was felt that a separate study would be necessary to successfully forecast growth. The International category for the CAB data was accumulated to cross-reference the figures with the published past years' total traffic data. Individual airlines may update data after the publication of the detailed data in the CAB Commuter Air Carrier Traffic Statistics.

Flights and trip segments that originated or terminated in the same geographic entity were assigned to that area. The number of times a week that an OAG flight was scheduled was multiplied by 13 (the number of weeks in a quarter) and then by 2 to obtain scheduled operations. When a flight originated in one geographic entity and terminated in another, then the number of flights per week was only multiplied by the number of weeks in the quarter. CAB data was assigned based on the originating airport of the trip segment. All the small certificated carrier data was included in the US figures.

The CAB data was separated into two classes of service: cargo only and passenger service. The airline records for each trip segment were evaluated to determine if any passengers had been carried. Segments without passengers were coded as cargo-only.

The OAG data contains codes to indicate cargo only flights and three classes of air carriers: certificated, intrastate, and air taxi. The OAG air taxi class and the selected certificated carriers providing commuter service were grouped as commuters for this study. Some of the Allegheny commuter flights may have been missed because of inconsistencies in the OAG data record coding of these flights.

The Air Traffic Activity system operations are reported for FAA towered airports only. In this system commuters are counted as either air taxi or air carriers depending on their aircraft size and flight numbers. The air taxi operations include some commuter flights, carriers carrying only mail, and air taxi services. Table 15 lists the OAG scheduled flights and the FAA Air Traffic Activity figures for comparison. For operations historic data the OAG scheduled.

Available seats were based on the OAG scheduled flights and the minimum seating capacity of the aircraft as published in the OAG or found in other sources. Many of the OAG aircraft codes in 1975 and 1976 were not listed in the OAG aircraft codes tables. Judgmental determinations were used in equating the codes to aircraft codes used in Jane's or to other codes on the OAG list.

Seat miles as computed from the OAG scheduled flights and passenger miles from the CAB part 298 and TCC form 41 data were used to calculate load factors and appear in Table 16. These load factors were within the range suggested as profitable by commuter operators. The load factors tend to be lower than those of the large certificated carriers because of the greater number of multiple segment flights and the need to have seats available for passengers that board down line. The smaller aircraft must also be operated at lower load factors to reduce the need to turn away customers because of flights filled to 100% capacity.

TABLE 15

OAG SCHEDULED OPERATIONS AND OPERATIONS REPORTED BY FAA TOWERS

CBS	GEO_ENT	TYPE	YR	ATA_OPS	OAG_SCH	RATIO
1	AK	AC	75	91609	234546	2.56029
	AK	AC	76	90114	221936	2.46284
2 3 4 5	AK	AC	77	80568	247598	3.07316
4	ΔK	AC	78	87989	188084	2.13759
5	AK	AC	79	102710	255125	2.13759 2.48394
6	4K	CO	75	120376	38558	0.31899
7	AK	CG	76	122869	92612	0.75375
8	AK	CO	77	153158	81640	0.53304
9	AK	CO	78	142726	81224	0.56909
10	AK	CO	79	148871	106886	G.71798
11	HI	AC	75	200659	175487	0.87455
12	HI	AÇ	76	201346	. 176904	0.87861
13	HI	AC	77	215054	187135	0.87018
14	HI	AC	78	229748	214162	0.93216
15	HI	AC	79	240591	243334	1.61140
16	ΗĪ	ÇO	75	95090	162214	1.70590
17	HI	CO	76	112991	194792	1.72396
18	HI	CO	77	135674	223470 24967 3	1.64711
19 20	HI HI	CO	78 79	199762 220537	238758	1.24988
21	PR	AC	75	53280	46436	0.87155
22	PR	ÃČ	75	50761	46202	0.91019
23	PR	ÃČ	77	48968	43147	0.88113
24	PR	ÃČ	78	47088	46570	0.39112
25	PR	ĀČ	79	48156	44109	0.91596
26	PR	ĉŏ	75	153222	208221	1.23778
27	PR	ČÕ	76	158916	202228	1.27255
28	PR	ĊŌ	77	147030	189345	1.28780
29	PR	CO	78	144451	170924	1.18327
30	PR	ĈÕ	79.	146206	181506	1.24144
31	US	AC	75	8364491	9583691	1.08113
32	US	AC	75	9149029	9810138	1.07225
33	US	AC	77	9522670	10073375	1.05783
34	US	AC	78	9779700	10843898	1.10882
3.5	y s	AC	79	9863742	10764369	1.11158
36 37	US	ÇQ	7 5 76	2282535	2291172 2634619	1.00378
3.8 3.8	บร	C0	77	2440667 2880763	2976519	1.07947
39	US US	CO	78	3247563	2982408	0.91835
40	US	ĈÔ	79	3823937	3950713	1.03315
41	VI	AC	źŚ	12779	14352	1.12309
42	νΪ	Ξč	76	12487	14690	1.17542
43	νī	AC AC	ว์วั	10274	14534	1.41464
44	νī	ÃČ	78	11775	25870	2.19703
45	ΫĪ	AC	79	12641	17992	1.42331
46	ΫĪ	CO	75	35684	122096	1.42496
47	۷Ī	CO	76	85083	117546	1.38155
48	٧î	CO	77	95345	128427	1.34697
49	VΪ	ÇQ	78	121494	141167	1.16193
50	VΙ	CO	79	136476	151372	1.10915

TABLE 16
BOARDING AND LOAD FACTORS

Year	Available Seat Miles *	Revenue Passenger Miles *	Load Factor	Operations	Enplanements	Boarding Factor
1975	1415.05	616.09	.44	2.04	5.26	5.17
1976	1482.78	674.90	.46	2.21	5.83	5.27
1977	1668.37	841.32	.50	2.53	7.05	5.57
1978	1913.83	1031.09	.54	2.81	8.54	6.08
1979	2843.25	1447.06	.51	3.68	11.04	6.00

* in millions

Source: CAB and TCC: revenue passenger miles and emplanements

OAG: available seat miles, operations

中華年間の毎日本世界の大大学の ちかかい いっこう

Local model data was extracted for specific airports by origin and destination city pairs from the OAG data files, the CAB part 298 data file, and the A-AIMS (American Airlines Information Management System) data base. The data was accumulated by airline, class of service, and non-directional market for model development.

Quarterly data used by the Conterminous United States, Hawaii, and Virgin Islands/Puerto Rico models and the quarterly forecasts are listed in Appendix B.

APPENDIX A

DESCRIPTION AND SPECIFICATIONS OF ECONOMETRIC MODELS

CONTERMINOUS US MODEL

The amount of commuter airline activity in the United States is determined by the factors influencing both the supply of these services and the demand for them. The model developed in this study is based on simultaneous estimation of the supply and demand equations and is designed to produce forecasts of commuter airline passenger operations (OPS), passenger enplanements (PE), revenue passenger miles (RPM), and seat miles (SM).

The demand for commuter airline services or passenger enplanements is considered to be a function of the price of these services (FARE); constant dollar gross national product (GNP72); the price of competitive modes of transportation, primarily automobiles (AUTOPR); the number of origin-destination pairs served by commuters (O-D); the average distance flown by passengers (ADF); and a series of dummy variables representing seasonal factors (D1, D2, and D3) and the impacts of deregulation (DREG). This equation is specified in a general form in la. Definitions of variables are provided in Figure A-1.

$$PE = f_a$$
 (FARE, GNP72, AUTOPR, O-D, ADF D1,D2,D3, DREG) (la)

Revenue passenger miles are estimated by multiplying passenger enplanements by average distance flown, as specified in equation 1b.

$$RPM = PE \times SEGDIST$$
 (1b)

The supply of commuter operations is generally considered to be a function of the fare received, fuel costs, other costs, the size and number of aircraft, and the same dummy variables representing seasonal variations and deregulation. The general form of the supply equation is given below.

VARIABLE	DEFINITION
PE	Passenger emplanements per quarter Civil Aero- nautics Board (CAB), Part 298, data on emplaned passengers and selected Form 41 data.
R PM	Revenue passenger miles per quarter CAB Part 298 data and selected form 41 data developed by multiplying the sume of enplaned passengers times the average distance flown by passengers.
0-0	Sum of the number of trip segments provided by each airline CAB Part 298 data.
OPS	Scheduled operations per quarter derived from the OAG data tapes fields for scheduled days multiplied by weeks in a quarter multiplied by 2 (take off and landing operations).
SIZE	Average number of seats per operation data cal- culated from Office Airline Guide (OAG) computer tages.
SM	Seat miles flown OAG derived data on flights reported times by aircraft type times seats for standard aircraft configuration times average stage length.
ADF	Mean trip length in miles per enplaned passenger CAB Part 298 data and selected Form 41 data.
AVESTAGE	Mean stage length per operation OAG derived data.
FUELPR	Price of fule to commuter airlines data from the Department of Energy, "Monthly Energy Review," on retail price per gallon of aviation gasoline fuel (taxes not included). Price adjusted for inflation by using GNP deflator.
FARE	Index of airline fares data from Department of Labor, "Consumer Price Index" and represent an index of fares charged by all domestic airlines. No index was available for commuter airlines only. Index adjusted for general inflation using GNP deflator.
GNP 72	Gross National Product, in constant 1972 dollars data from Department of Commerce, "Survey of Current Business."
AUTOPR	Index of the price of user-operated transporta- tion data from Department of Labor, "Consumer Price Index," adjusted for general inflation by GNP deflator.
D1, D2, D3	Seasonal dummy variables for first, second and third quarters, respectively. (value = 1 or 0.)
DREG	Deregulation dummy variable, zero through 1978, first quarter and one thereafter. It is assumed some of the effects of deregulation started before the 1978 act took effect. (value = 1 or 0.)
Quarterly Variables:	DATA COULD NOT 3E OBTAINED FOR THE FOLLOWING
otherpr	Index of non-fuel costs of operating commuter aircraft. The few observations obtained and Aviation Data Services, Inc. statistics for general aviation aircraft operating costs, indicates that this variable appeared to follows general inflation.

Total fleet seats available, or capital stock.
Annual estimates indicate relatively smooth growth in this variable.

FIGURE A-1. DEFINITIONS OF VARIABLES

PLEET

Seat miles are calculated by multiplying the number of scheduled flights (OAG) for an aircraft type by average seating capacity of the aircraft by average stage length.

$$SM = AVESTAGE \times SIZE \times OPS/2$$
 (2b)

Equilibrium conditions are met when supply and demand for these services are in balance, or that the airlines are achieving their desired load factors. Equation 3 specifies these conditions

$$PE = h_{a} (OPS)$$
 (3)

where h_{a} indicates the desired average number of passengers per operation.

Because of nonavailability of data, not all of the variables could be included in the model. No time series data on the costs of nonfuel inputs to providing commuter services (i.e., equipment, services, and personnel) were available and estimates of fleet size could be determined only on an annual basis. The few estimates of nonfuel costs of operating commuter airlines indicated that these costs tended to follow general inflation and, therefore, after they were adjusted for inflation, the impact of these costs on explaining changes in activity would be slight.

A linear form of equations la, 2a, and 3 was estimated, as shown in equations 4 through 6. This specification provided the best overall results.

PE =
$$a_{10}$$
 + a_{11} FARE + a_{12} GNP + a_{13} AUTOPR
+ a_{14} O-D + a_{15} D1 + a_{16} D2 + a_{17} D3
+ a_{18} DREG + u_{a1} (4)

OPS =
$$a_{20} + a_{21}$$
 FARE + a_{22} FUELPR + a_{23} SIZE
+ a_{24} D1 + a_{25} D2 + a_{26} D3 + a_{27} DREG
+ u_{a2} (5)

Several techniques can be used to econometrically estimate the above models. A reduced form procedure was selected becasue of the limited number of observations and the poor quality of the data on fares charged by commuter airlines. By using the price index for all airline fares, we are assuming that commuter airline fares follow the average pattern of all fares, which tends to be dominated by trunk and regional carriers. With reduced form procedures, the fare variable does not affect the forecasting equations for the other dependent variables.

Table A-1 presents the results of the econometric estimation for the national level model.

The results for all three equations are fairly good. Most of the non-dummy independent variables have significant t-statistics and the signs of the coefficients generally follow the expected patterns. GNP positively affects commuter enplanements and operations, but decreases fares; the cost of automobile transportation has a negative effect, indicating that as ground travel becomes more expensive, people tend to travel less. The fuel price index variable has a positive coefficient, because commuter airlines become more competitive in short haul markets when fuel prices are high. Average passenger distance has a slight positive effect on operations and essentially no effect on enplanements. This variable does have a significantly negative impact on fares (per mile), as would be expected.

The number of origin-destination pairs served is important in generating passenger enplanements, but also adds to the average fare charged. Size of aircraft is not significant in any of the equations. The impact of deregulation over and above that incorporated into the other independent variables is fairly small. Seasonal factors vary with equation.

TABLE A-1. ECONOMETRIC ESTIMATES FOR REDUCED FROM EQUATIONS CONTERMINOUS US MODEL

	OPERATIONS	PASSENGER ENPLANEMENTS	INDEX OF FARE
R ²	.9889	.9958	.8684
Constant	-1.5338	-2.861	173.08
	(-2.4)	(-1.9)	(4.4)
GNP72	0.0006	0.0018 (3.0)	-0.02 (-1.1)
AUTOPR	-0.0005	0.0018	-0.02
	(-0.2)	(-3.4)	(1.7)
FUELPR	0.0096	0.065	0.34
	(1.9)	(5.4)	(1.1)
ADF	0.0096	-0.001	-0.91
	(2.6)	(-0.1)	(-3.9)
O-D	0.0001	0.001	0.02
	(0.5)	(3.3)	(2.5)
SIZE	-0.0067	0.057	-1.08
	(-0.2)	(0.8)	(-0.6)
Dl	-0.0186	-0.085	2.30
	(-1.0)	(-0.8)	(2.0)
D2	0.004 (0.2)	0.064 (1.4)	-1.88 (-1.6)
D3	-0.0088	0.218	-1.50
	(-0.4)	(4.3)	(-1.1)
DREG	0.0070	-0.082	-2.63
	(0.2)	(-0.9)	(-1.1)

t-statistics given in parenthesis

HAWAII AND PUERTO RICO /VIRGIN ISLANDS MODELS

As indicated in the main body of the report, commuter activity in Hawaii and Puerto Rico/Virgin Islands is influenced by factors that are different from those that affect commuter airlines in the 48 states. The models developed to forecast commuter activity in these two areas reflect this difference and are structurally simpler because of less available data, as specified in equations 7 and 8.

$$PE = b_{10} + b_{11} \text{ Income} + b_{12} D1 + b_{13} D2 + b_{14} D3 + v_1$$
 (7)

OPS =
$$b_{20} + b_{21}$$
 PE + b_{23} SIZE + b_{24} D1 + b_{25} D2 + b_{26} D3 + v_2 (8)

(Income denotes constant dollar disposable personal income for Hawaii and constant dollar personal income for Puerto Rico/Virgin Islands and v_1 and v_2 represent random error terms.) (Personal income data are used in place of GNP because the latter data are generally not available on a state level.)

The model was specified in the above fashion for Hawaii because, after discussions with local airlines, it was determined that most commuter passengers are business people. Therefore, enplanements are specified as a function of the income generated in the state. Operations are assumed to be a function of enplanements and the average size of aircraft. Because quarterly data are used, seasonal adjustment is accomplished through three dummy variables. Ordinarily, a price variable would be included in equations 7 and 8, but we were unable to find time series data on fares charged in Hawaii.

The same basic model structure is used for Puerto Rico and the Virgin Islands. Tourism, however, is a more important source of

commuter passengers in this area, but personal income is still used as the independent variable for enplanements because tourism expenditures help to generate personal income.

Results from model estimation for reduced form equation are provided in Table A-2. The Hawaii model gave better results than the Puerto Rico/Virgin Islands model. The seasonal adjustment and size of aircraft variables have the insignificant t-statistics, but there are very significant relationships between enplanements and income and operations and enplanements.

Table A-2

ECONOMETRIC ESTIMATES FOR REDUCED FORM
EQUATION: HAWAII AND PUERTO RICO/VIRGIN ISLANDS

	Hawa	ii	Puerto Rico/Vi	gin Islands
	Enplanements	Operations	Enplanements	<u>Operations</u>
R2	.7993	.8991	.3904	.7693
Constant	-0.456 (-6.6)	0.0 (0.0)	0.143 (1.3)	0.006 (0.2)
Income	0.125 (7.6)		0.008 (1.5)	
Enplanement	ts	0.660 (10.9)		0.166 (5.8)
Size		-0.0012 (-0.2)		0.001 (0.3)
D1	0.0016 (0.3)	0.001 (0.3)	0.052 (0.0)	-0.004 (-1.4)
D2	0.0029 (0.5)	0.003 (-0.8)	0.003 (0.9)	-0.004 (-1.5)
D3	0.0043 (0.7)	-0.0004 (-0.1)	0.024 (0.3)	-0.005 (-1.9)

^{*} Disposable personal income, 1972 dollars for Hawaii and personal income, 1972 dollars, for Puerto Rico

t-statistics given in parenthesis

Cargo Model

Because of data limitations, an all-cargo commuter airline model could not be developed. Instead, data on pounds of cargo carried by all commuters were used to estimate the overall growth in this variable. The resulting growth rate was used to approximate the rate of increase in pounds of cargo carried in all-cargo commuter operations. All-cargo operations (excluding Federal Express) accounted for about 52% to 53% of cargo carried by all commuters between 1975 and 1977 and, assuming this share remains relatively constant, the amount of cargo carried by the all-cargo operators can be calculated from the model forecasts.

Two econometric equations were specified, as shown below:

POUNDS =
$$C_{10} + C_{11}$$
 GNP72+ C_{12} DREG + w_1 (9a)

and

POUNDS =
$$C_{20} + C_{21}YEAR + C_{22}DREG + w_2$$
 (9b).

POUNDS denotes thousands of pounds of cargo carried by all commuters 1 , YEAR is a trend variable where 1970=70, 1972=72, and so forth, and w_{1} and w_{2} are random error terms. GNP72 and DREG are defined in Table A-1.

The results from estimation are given in Table A-3. Both equations yielded good results; however, the second specification, given in equation 9b, gave a better fit. Both equations were used to generate the alternative forecasts provided in Chapter 2 of this report.

Commuter Airline Association of America (CAAA), "1980 Annual Report, Commuter Airline Industry", Washington, D.C. (November 1980).

TABLE A-3
ECONOMETRIC ESTIMATES
FOR CARGO EQUATIONS

	$\frac{R^2}{R^2}$	Constant	GNP 72	Year	DREG
Pounds	.9676	-893,870 (-5.3)	837 (6.1)		124,367 (3.1)
Pounds	.9894	-2,330,000 (-10.8)		33,500 (11.4)	142,406 (6.8)

t-statistics given in parenthesis.

APPENDIX B QUARTERLY DATA AND FORECASTS

DEFINITIONS

QUARTERLY FORECASTS AND BASE DATA - DEFINITIONS

ADF the average distance flown by a commuter airline

passenger

ATOPS commuter operations

AVEDIST the average stage length

AVESEATS the average available seats per operation

DEREG dummy variable used to take into account changes

in growth since deregulation (0 before 2nd quarter

1978, 1 thereafter)

DUMl; dummy variables used to forecast seasonal fluctuations

DUM2 in the data (DUM1=1 if first quarter data; DUM2=1 DUM3 if second quarter data; and DUM3=1 if third quarter

data; DUM1, DUM2, and DUM3=0 for fourth quarter

data)

FARE a fare index for all air transportation (1972=100)

FUELAD the cost per gallon of aviation fuel for commuter

airlines in 72 constant dollars

GNP72 the GNP in 1972 constant dollars

NTAKEOFF the number of commuter airline pairs weighted

by airlines (CAB Part 298 data only)

OBS a record number generated by the SAS procedure

that sequences the data for printing

OTC the consumer Price Index for owner operated transportation

PATOPS forecasted commuter operations

PFARE forecasted fare index

PRPTDIST forecasted revenue passenger

PRPTI forecasted enplanements

PSEATMI forecasted available seat miles

QTR the year and quarter of the data or forecast

RPTDIST revenue passenger miles

RPTI enplaned passengers

SEATMI available seat miles

CONTERMINOUS UNITED STATES

NATEDATA-HISTORICAL AND ACTUAL NATIONAL DATA FILE ATOPS=0.91*0AG SVHEDULED GPS

7	022	008	317	202	929	345	701	176	284	\$22	173	960	916	312	562	145	348	253	1.659	992
SEATMI	126.1	156.1	158.	5/1	177.1	7.69	.02	165.	171.	25.4	60	62.1	. 92	57	(2)	82.	38		739.1	63.
: D :	•	•		•		٠	•	•	•	•	•	•	•	•	•		•		.007	•
¥	8	7 7	7	207	105	106	106	10,	104	105	102	201	6	8	8	116	=	-	111	105
IIS	•	9	m	m	•	_	Ţ	š	•	š	•	~	~	•	_	ň	~	2	•	=
SE/	452	526	151	257	281	025	786	732	086	869	346	053	474	674	658	144	022	9	156	523
AVE	12.	12.	12.	12.	2	12	Ξ	Ξ	12.	=	Ξ.	12.	12.	12.	12.	Ξ.	13	13	13.1560	13.
DEREG AVESEATS AVEDIST	•	•	•	0	•	-	•	•	•	•	•	•	9	-		~	-	-	~	-
DUM 3	0	•	_	•	•	0	_	9	•	0	_	•	•	9		•	•	•	~	9
DUM2	•		•	•	•	_	•	9	•	_	•	0	•	_	-	9	•	~	0	0
DUM	_	•	•	•	-	•	•	•	_	•	9	•	_	•	•	•	_	0	0	•
	10	7	2	4.8	91	89	2	12	43	66	29	93	9	79	8	37	87	30	00	86
ATOPS	50280	49051	160	332	318	473	577	774	556343	442	659	643	701	128	973	317	083	258	. 962300	8088
V	5.	5.0	5	0.5	0.5	0.5	0.5	5.5	0.5	9.0	9.0	9.0	9.0	6.7	9.0	0.7	8.0	6.0	6.0	6.9
	52	20	2	49	91	99	49	20	65	6	20	73	12	7	25	92	32	0.7	7	54
RP11	.19752	309	47982	277	288	515	631	438	665	754	965	833	883	174	430	156	112	839	239	2.84554
32	_	_	_	_	_	_	_	_	_	_	_	_	_	۲,	~	2	~	ς.	m	~
151	562	926	555	610	142	556	985	834	052	950	553	629	494	879	548	165	989	966	557	819
RPTDISI	4																			377.
œ																				
ADF	2	3	25	2	26	2.	5	6	7	2	. 8 4	8	2	88	36	16	6	7		. 780
<	118	116	2	118	117	7	114	115	118	116	120	120	121	120	120	120	127	3	131	132
FF	_			_		_	_						_				_	_		
KEO	576	9	634	667	585	705	682	737	7.13	933	982	981	018	176	191	028	126	655	351	2411
Z		-	۰-	_	_	~	_	_	_	_	-	-	~	~	~		~	~	~	2
FUELAD HTAKEOFF	_	. ~	. ~	•	•	•0	-	_	9	40	•	~	•	9	~	_	S	•	2	•
UEL	3	2		2	2	=	-	7	3	2	3	2	2	35	25	34	35	9	47	48
	~	~	-	-	10	•		•	_	~	•	~	-0	~	,-1	•	•	*	~	•
GNP 72	9	8	20	29	55	9	76	84	5	3	53	199	193	95	6	26	2	22	2	1438.
010																				. 55
1.	•	ō	-		0	è	ě	ě	0	0	2	-	è	0	=		0	2	=	127
FARE		=		2	72	12	0.	6	59	40	42	6	47	9	2	6	9	75	6	7
ď.	9.5	7	96	5	9	6	6	901	8	96	6	6	001	6	3	8	7	6	7	99
3																				794
	7	. ~	· ~																•	
085				_		_		-		~	-	_	_	-	-	-	-	=	Ē	Ñ

NATEDATA-HISTORICAL AND ACTUAL NATIONAL DATA FILE HIGH GROWTH

	VARTABLE Label	MEAN OF MINSEATS MEAN OF DISTANCE N OF DISTANCE
214.18 0.0001 0.9958	PR08> 1	0.0003 0.0002 0.0002 0.4249 0.9105 0.0138 0.0037 0.1909 0.1909
F RATIO PROB>F R-Square	T RATIO	-1.35.4569 -0.85.3569 -0.83.5569
0.025989735	8571 STANDARD ERROR	1.502999 0.00570205 0.00570225 0.000570863 0.0005748655 0.0002430889 0.043237 0.0443237 0.0443237
SSE DFE MSE	ETER MATE	-2.866579 -0.019254 -0.056713 -0.001752865 -0.00175285 -0.061359 -0.063697 -0.063697 -0.063697
HODEL: MODELO! DEP VAR: RPI! SURMGI OF DISTANCE SURBIN-WATSON D STATISTIC	DER AUTOCORR DF	
MODEL: DEP VAR: DURBIN-WA	FIRST OR	INTERCEPT FUELAD UTC AVESEATS ADF GNP72 NTAKEOFF DUM3 DUM3

NATIDATA-HISTORICAL AND ACTUAL NATIONAL DATA FILE LOW GROWTH(CONCENSUS)

		VARIABLE Label		MEAN OF MINSEALS Mean of Distance	N OF DISTANCE
214.18 0.0001 0.9958		PRUB> 1	0.0003	0.9165	0.0837 0.4379 0.1909 0.0021 0.3760
F RATIU PROB>F R~SQUARE		T RATIO	-1.8969 5.4089 -3.373	-0.8357 -0.1156	3.3347 -0.8117 1.4142 4.2610 -0.9313
0.026908 9 0.002989735	1.8287	STANDARD ERROR	1.507999 0.012009 0.05707255	0.067863	0.0002430889 0.043237 0.044997 0.051239 0.088502
SSE DFE MSE ISTANCE	<i>2</i> 111	PARAMETER ESTIMATE	-2.860579 0.064957 -0.019254	0.056713	0.0008106179 -0.035095 0.063637 0.218331 -0.082423
MODEL: MODELO! Dep var: Rpt! Summgt of Distance	PURBIN-MATSUN D STATISTIC TRST ORDER AUTOCORRELATION	Ja Di			
MODEL: DEP VAR:	DURBIN-L FIRST OR	VARIABLE	INTERCEP FUELAD OTC	AVESEATS ADF GNP 72	NTAKEOFF DUM1 DUM2 DUM3 DEREG

MATEDATA-HISTORICAL AND ACTUAL NATIONAL DATA FILE LOW GROWTH CONCENSUS)

		VARIABLE Label			MEAN OF MINSEATS	MEAN OF DISTANCE		N OF DISTANCE			
80.25 0.0001 0.9889		FK08>[1]	0.0417	0.0951	0.8229	0.0331	0.0514	0.140 0.4140	6.8317	0.6977	0.8584
F RATIO PROB>F R-SQUARE		T RATIO	-2.3725	1.8649	-0.2305	2.5136	2.2449	-1 0035	0.2188	-0.4011	0.1836
0.00494542 9 0.0005494911	2.5772	STANDARD ERKOR		0.00514845		0.003832993	0.0002464508	747401000.0	0.019291	0.021967	0.037942
SSE DFE	D STATISTIC = 2 UTOCORRELATION = -0	PARAMETER ESTIMATE	-1.533821	0.009601058 -0.0005276	-0.00670574	0.00963445	8.0000332576 00005357576	0.00000-	0.004220508	-0.00881159	0.006965297
MODEL: MODELO1 DEP VAR: ATOPS FREQUENCY COUNT	DURBIN-WATSON D STAT FIRST ORDER AUTOCORR	VARIABLE DF	INTERCEPT	FUELAD 1	AVESEATS	ADF	NTAKEDEE 1	DUMI	DUM2	DUM3	DEREG 1

NATEDATA-HISTORICAL AND ACTUAL NATIONAL DATA FILE LOW GROWTH(CONCENSUS)

			VARIABLE Label				MEAN OF MINSEATS	MEAN OF DISTANCE		N OF DISTANCE				
5.94	0 .8684		PRUB>111	0.0017	0.3064	0.1186	0:5563	0.0037	0.2927	0.0339	0.0718	0.1438	0.2921	0.2847
FRATIO	K-SQUARE		1 RATIO	4.3979	1.0845	1.7251	-0.6110	-3.8817	-1.1177	2.4985	2.0397	-1.6012	-1.1190	-1.1376
18.326389	2.036265	1.8092 0.0718	STANDARD ERROR	39.355160	0.313410	0.148945	1.771049	0.233332	0.015003	0.006344041	1.128392	1.174321	1.337228	2.309682
SSE	MSE	11 11	PARAMETER ESTIMATE	173.078484	0.339879	0.256943	-1.082193	-0.905735	-0.016768	0.015851	2.301629	-1.880268	-1.496402	-2.627398
101	111	N D STATISTIC AUTOCORRELATION	DF	~	-	~	_	_		-	~	-	-	-
MODEL: MODELO	DEP VAR: FARE	DURBIN-WATSON FIRST ORDER A	VARIABLE	INTERCEPI	FUELAD	010	AVESEATS	ADF	GNP 72	HTAKEOFF	DOMI	DUM2	DUM3	DEREG

		VARIABLE Label		MEAN OF MINSEATS MEAN OF DISTANCE	N OF DISTANCE
214.18 0.0001 0.9958		PROB>[T]	0.0903	0.4249	0.087 0.4379 0.1909 0.0021 0.3760
F RAT10 PROB>F R-Square		I RATIO	-1.8969	0.8357	3.3347 -0.8117 1.4142 4.2610 -0.9313
0.026908 9 0.002989735	1.6287 0.0571	STANDARD ERROR	1.507999	0.008940753	0002430889 0.043237 0.044997 0.051239
800 800 800 800 800 800 800 800 800 800		PARAMETER ESTIMATE		0.056713 -0.00103343	
MODELO1 RPT1 SUMMGT OF D	OURBIN-WAISON D STATISTIC = FIRST ORDER AUTOCORRELATION =	DF	ed ed e		. ~ ~ ~ ~ ~
MODEL : MODEL 0 1 DEP VAR: RPT 1 SUMMGT	FIRST ORDE	VAKJABLE	INTERCEPT FUELAD	AVESEATS ADF	NTAKEOFF DUM1 DUM2 DUM3 DEREG

		VARIABLE Label	MEAN OF MINSEAIS MEAN OF DISTANCE N OF DISTANCE
80.25 0.0001 0.9889		PROB>111	0.0417 0.0514 0.0529 0.0514 0.6146 0.6146 0.6977 0.6977
F RATIG PROB>F R-SQUARE		T RATIO	-2.372 -0.2156 -0.2156 -0.2156 -1.05216 -0.4011
5SE 0.00494542 DFE 9 MSE 0.0005494911	2.5772-0.3073	STANDARD ERROR	0.00514455 0.00514455 0.005446746 0.005464508 0.0005464508 0.0001042147 0.0001045147 0.00105316 0.0185316 0.037942
	1511C = 2.	PARAMETER ESTINATE	-1.533821 0.009601088 -0.0065276 0.0005532576 0.0005435436 0.004220508 0.00481159 0.00681159
DELOI DPS Equency Co	ON D STAT	ВF	
MODEL: MODELO1 DEP VAR: A10PS FREQUENCY COUNT	BURBIN-MATSON D STATISTIC = FIRST ORDER AUTOCORRELATION =	VARIABLE	INTERCEPT FUELAD 01C AVESEATS ADE GMP 72 RITAKEOFF DUM1 DUM2 DUM3

MATLDATA-HISTORICAL AND ACTUAL NATIONAL DATA FILE HAGINGROWTH

			VARJABLE Label				MEAN OF MINSEATS	MEAN OF DISTANCE		N OF DISTANCE				
5.94	0.8684		PROB> 11	0.0017	0.3064	0.1186	0.5563	0.0037	0.2927	0.0339	0.0718	0.1438	0.2921	0.2847
F RATIO	R-SQUARE		T RALLO	4.3979	1.0845	1.7251	-0.6110	-3.8817	-1.1177	2.4985	2.0397	-1.6012	-1.1190	-1.1376
18.326384	2.036265	1.5092 0.0718	S I ANDARD ERROR	39.355160	0.313410	0.148945	1.771049	0.233332	0.015003	0.006344041	1.128392	1.174321	1.337228	2.309682
8 5	MSE	11 11	PARAMETER ESTIMATE	173.078484	0.339679	0.256943	-1.082193	-0.905735	-0.016768	0.015851	2.301629	-1.880268	-1.496402	-2.627398
MODEL 01	IRE	DURBIN-MATSON D STATISTIC TRST ORDER AUTOCORRELATION	DF		_	-	-	-	-	-		-	-	-
MODEL: MC	DEP VAR: FARE	DURBIN-MATS FIRST ORDER	VARIABLE	INTERCEPT	FUELAD	010	AVESEATS	ADF	GNP72	NTAKEOFF	DUM	DUM2	DUM3	DEREG

		VARJABLE Label				MEAN OF MINSEATS	MEAN OF DISTANCE		N OF DISTANCE				
32.90 0.0001 0.9734		PRGB> { T }	0.0032	0.6331	0.8590	0.1442	0.0057	0.0124	0.0380	0.0419	0.3505	0.7341	0.7565
F RATIO PROB>F R-Square		T RATIO	-3.9776	0.4941	0.1828	1.5993	3.6008	3.1138	-2.4292	-2.3698	0.9847	0.3504	-0.3197
9745.048 9 1082.783	2,5786 -0,3130	STANDARD	907.518077	7.227148	3.434625	40.839860	5.380572	0.345956	0.146292	26.020379	27.079485	30.836082	53.260573
SSE DFE MSE	11 11	PARAMETER ESTIMATE	-3609.74	3.570678	0.627942	65.316591	19.374305	1.077253	-0.355372	-61.662716	26.664398	10.805460	-17.028252
MODEL 01 SEATMI	SON D STATISTIC R AUTOCORRELATION	DF	-		-	-			_	-	-	~	-
MODEL: MODEL DEP VAR: SEATM	DURBIN-WATSON FIRST ORDER AU	VARIABLE	INTERCEPT	FUELAD	0 1c	AVESEATS	ADF	GNP 72	NTAKEOFF	~ HNG	DUMS	DOM:	DEREG

NATEDATA-HISTORICAL AND ACTUAL NATIONAL DAFA FILE HIGH GROWTH AND LOW GROWTH

NOBEL: MODELOI DEP VAR: RPIDISI SUM OF	ELOI DIST OF DISTANCE	SSE DFE MSE Ance	609.251300 9 67.694589	F RATEO PROBSF R-SQUARE	191.70 0.0001 0.9953	
DURBIN-MAISON D FIRST ORDER AUTO	L D STAT	STATISTIC = 1 CORRELATION = 6	1.7879			
VARIABLE	DF	PARAMETER ESTIMATE	STANDARD ERROR	I RAI10	PRUB>11	VARIABLE Label
INTERCEPT FUELAD	~ ~ .	-618.765955 8.777166	1.807063	4.8571	0.0009	
AVESEATS ADF		6.689489 2.217030	10.211522	0,6551 1,6479 1,6479	0.5288	MEAN OF MINSEATS MEAN OF DISTANCE
NIAKEOFF DUNI		0.088898 -5.493793	0.036578 0.036578 6.506087	2.4303	0.0380	N OF DISTANCE
DUM2 DUM3 DEREG		9.009530 26.808585 -10.727645	6.770904 7.710196 13.317174	1,3306 3,4770 -0,8055	0.2160 0.0070 0.4413	

DEREG			
DUM3		PRPIDIST	100
DUM2		PSEATMI	90 000 000 000 000 000 000 000 000 000
r DUM1		ARE	
AL MODE ESEATS	100 2250 200 200 200 200 200 200 200 200	4	
NATIONAL AVES	AND CONTRACTOR CONTRAC	ATOPS	25.00
ROWIN	11662 11662	<u>-</u>	
30 1		PRPT1	\$ 650 60 7 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
IABLES FO Mtakeo	11196 & 11196 & 11196 & 11196 & 11196 & 11991	PIDIST	21
ECAST VAR Fuelad		TMI R	94444444444444444444444444444444444444
GRO-FOR! 01C	22	SEA	などのであるなどなりなどのではないのでもなるなどののなどのではないのでしょうというというというというというというというといいといいといいといいといいといい
FORLO:		FARE	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
GNP 7.5	7.0 9.12.0 6.75.	v	60000000000000000000000000000000000000
VEDIST	10000000000000000000000000000000000000	ATOP	କ୍ରବ୍ରତ୍ର୍ବ୍ରତ୍ର୍ବ୍ରତ୍ର୍ବ୍ରତ୍ର୍ବ୍ରତ୍ର୍ବ୍ରତ୍ର୍ବ୍ରତ୍ର୍ବ୍ରତ୍ର୍ବ୍ରତ୍ର୍ବ୍ରତ୍ର୍ବ୍ରତ୍ର୍ବ୍ରତ୍ର୍ବ୍ରତ୍ର୍ବ୍ରତ୍ର୍ବ୍ରତ୍ର୍ବ୍
Q TR	2000 2000 2000 2000 2000 2000 2000 200	RPT1	20100000000000000000000000000000000000
0 B S		0.85	

9797

B-14

The same of the sa

MUDEL
NATIONAL
FOR
PREDICTIONS
LOW GROWTH
FORECASI
FORLOGRO-FORECAST

PRPIDIST	145.42 160.40 165.76 153.10 148.67 163.90 186.13 157.24 207.87	44 44 44 44 44 44 44 44 44 44 44 44 44	20.9 40.1 80.5	21.6 117.5 117.5 117.5 117.5 126.9 126.2 1	30 30 30 30 30 30 30 30 30 30 30 30 30 3	8644.49 846.49 846.30 946.30 986.08 1001.81 1096.99
PSEAIMI	308.24 337.03 337.03 369.53 374.09 351.11 361.01	2257 88657 88657 7857 7857 7857 7857 7857	914.3 955.3 978.2	0227.4 027.4 0076.6 0091.1 133.8 190.4	22222222222222222222222222222222222222	15.15.25 16.44.85 16.44.85 17.35.81 17.35.81 18.48.31 19.15.81 19.15.81 19.15.81
PFARE	96.211 96.211 96.211 96.955 96.955 98.909 98.553		13.63	10.05 110.05 110.05 114.61 10.51	10.92 11.55.45 111.55 111.91 13.55 114.05	112.993 112.993 116.147 116.430 116.431 119.845 116.339
PATOPS	0.49253 0.54142 0.54142 0.54468 0.54142 0.54142 0.5415	.6765 .6742 .6666 .7288 .7205 .7205 .7896 .9136	. 2062 . 2182	.2651 .2651 .3050 .3473 .3423	4888 4888 4888 4888 4888 4888 4888 488	1.65508 1.65508 1.65508 1.65508 1.75508 1.75508 1.75760 1.83599 1.84791
PRP11	1,22159 1,35432 1,45143 1,27694 1,62591 1,62591 1,46001	0417 8292 8843 8843 7012 4077 4075 1384 1384 1384 1384 1384 1384	1131 3090 5862	. 6 9 3 8 9 3 8 9 3 8 9 3 8 9 3 8 9 3 8 9 3 8 9 3 8 9 9 8 9 9 9 9	.5068 .4798 .9663 .9663 .9663 .9568 .4588 .6588 .6588	5.45448 5.45743 5.45146 6.18616 6.46310 6.50527 7.04088 6.9688
SEAINI	326.022 356.008 356.317 374.703 377.656 379.845 370.102 365.176 371.284	662.099.17 262.099 263.91 27.31 382.05 318.35 318.35 318.35 318.35 318.35 318.35 318.35				
ATOPS	0.5902801 0.5902801 0.509153 0.533248 0.531816 0.557751 0.557412 0.5563412	.66595 .66439 .67016 .71287 .69731 .73173 .80838 .92583				
RP I 1		599265				
RPIDIST	0.000000000000000000000000000000000000	2.2.4.2.2.4.2.2.2.2.2.2.2.2.2.2.2.2.2.2				
FARE	995.22 996.32 997.72 999.12 99.62 98.64	4949809711				
918	2222444	~~~~~~~~~ ~~~~~~~~~~~~~~~~~~~~~~~~~~~~	**************************************	*************************************	数 40 10 10 10 10 10 10 10 10 10 10 10 10 10	
085	~ (A = A N		222222	Sammen	WWWWWAAAAA	1444400000000 14666100000000

			FORLO	GRO-FORE	CAST LOW	GROWTH PRE	FORLOGKO-FORECAST LOW GROWIN PREDICTIONS FOR NATIONAL MODEL	HATIONAL	MODEL		
085	4 I B	FARE	RPIDIST	RPT1	ATOPS	SEAIMI	PRPII	PATOPS	PFARE	PSEATHI	PRPIDE
23	891		•		•	•	7.08947	1.88175	121.465	2049.22	1113.0
58	892			. ,	•		7.32442	1.92950	117.536	2122.45	1157.2
8	893						7.63170	1.94399	118.256	2159.77	1213.4
9	894						7.56594	1.97874	119.962	2231.03	1210.5
7	901				•		7.68040	1.97722	123.519	2251.07	1228.8
79	902	•			• •	•	7.92845	2.02524	119.576	2339.15	1276.4
	903				•		8.24058	2.03848	120.265	2388.08	1334.9
9	506				•	•	8.16832	2.07332	122.156	2451.70	1331.4
65	911				•		8.29494	2.07157	125.732	2483.81	1352.0
99	912			, ,	•	• •	8.54474	2.12119	121.991	2566.64	1401.3
67	613	•	•				8.85605	2.13385	122.757	2617.16	1461.2
68	916						8.80420	2.16997	124.684	2697.27	1461.5
69	921	•	•	•	•	•	8.93256	2.16824	128.336	2730.90	1482.8
70	922	•			. ,		9.19535	2.21926	124.756	2819.57	1535.6
7	800		•	1	•	•	9 51570	2 23296	125 647	2873 82	7 4651
2	924		• .			•	9.67034	2.26951	127.701	2958.31	7.0091
~	-		•	•	•	•)		
1 4	7				•	•		•		•	•
5;	756		•		•				•	•	•
C;	44.	•			•	•	•			•	٠
9/	934	٠						•			•
	941	•			•		•		•		•
78	942	•	•	•		•	•	•	•	•	•
79	943	•	•	•		٠			•		•
90	944	•		•		•	•		•	•	•

FURHIGRO-FORECAST VARIABLES FOR HIGH GROWIN HATIONAL MODEL

DFBFG	# # 00000000000000000000000000000000000		
Z WIIG	E G G G	0 0 1 0 0 0 PRP TDIST	111665 1111665
Pil M	N 5 9-9-9-9-9-9-9-9-9-9-9-9-9-9-9-9-9-9-9	0 0 1 0 0 0 1 PSEATMI	92
ייייייייייייייייייייייייייייייייייייי		PIARE	996 996 996 996 996 996 996 996 996 996
AL SFA	AVES 122 - 54 - 54 - 54 - 54 - 54 - 54 - 54 -	4.300	9253 1329 1329 1329 4142 4468 6437 6437 6437 7065 1067 1065 1066 1066 1067 1067 1067 1067 1067 1067
בו אחם או	ADF 118.2213 118.201 118.201 118.201 118.201 118.978 118.978 120.849 120.849 120.859 121.338 121.338 131.730	32.780 : : : : : : : : : : : : : : : : : : :	
FOR HIGH	6 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	11. 11. 16. 18. 18.	000 4 600 600 600 600 600 600 600 600 60
KIABLE	A A A A A A A A A A A A A A A A A A A	24 27 27 87	20000000000000000000000000000000000000
KECASI V			00 00 00 00 00 00 00 00 00 00 00 00 00
-	0 C C C C C C C C C C C C C C C C C C C	127.5 129.0 129.0	110666464660000000000000000000000000000
9	6MP / 2 6MP /	4 38 4 48 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	
1910	00000000000000000000000000000000000000	A 10 P S	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
277		22 111 22 111 22 111 22 111 22 111 22 111 22 111 23 21 21 21 21 21 21 21 21 21 21 21 21 21	119752 277962 277962 277664 637466 631664 631664 63173 17471

		,,,			•••		-	•		~ ~	~ ~	acja				~	: = :	==	~:			-	<u>`</u>	· –		-	-	9 :			
		950	5	99	2 28	100	2 9 2 0	12	20	9 8	31	52.	7	5 O	22	0.0	. 8	9 -	23	9 5	35	0.0	7	. 6	7	9 9	28	50	20		
	LOWALEH	364.	•	5 9	22	. •	~ 60	20	150	94	~-	40 *	7 J	~ ~	- 5	S	٠ 00 ١	40	- 0	20	90	N	9 4	_	9	n	0	M M	٠.	• •	•
		~ ~ ~	0	2=		. ~ (\sim	M M) M) •	5 T	20	100	9	~	40 40	9	. 0	> ~	~ (NN	M	١,٧	S	10	9	∼ ∞	8	0 0	-		
٠.		990	~	F 40 1	ഹ മ		10 C4	∽ ∞	, m	∍ ⋈	رم د	ان ان	.	e eo	so so	40 (J 40) 4	n 🔈	.	> ~	~ -	٠,	~ ≪	, o		. ~	•	60 4	. es		
		26	9	. 52	8	. ~ (₽	C	•	- ~	9	. •	9	∞ ∨	40 V	5	- M	ን ው	50	~	9 1	1 5	N M	9	\$	vm	_	ء ف			
		677	2	120	25	:2:	28	23	25	18	15	20	12	20 23	19 20	22	225	24	28	25	22		80 9	m	0	- 1	~	m 4	•		
	a. IL < a: II																					_		-			-	~ ~	-		
		591 837 572	. •	9~	•	. 00 .	~ S	20	1 100 (NM	- 4		، سے ن	o o	90	0		^ €	9	O O		-	س ف	15	Š	'nΝ	N	∾້ອ	~		
-13		252	•	- 5 0 -	ক ক	٠0،	2 W	0	**	3	~ •	. 2 0 c	-	2 ·N	00	94	~ •	v	9	-~	~	·	~	~	m	<i>-</i> 00	90	J- 1	3		
MODEL	44-04v		.								- -		-			-	· ·		- (vi	N 3	نہن	٠i٥	٠,	Ni c	ý 'n	~	oi o	, (V	• •	•
		286	3	50 PM	5		N 9	5 -	• ••	~ ∞	~	. O C	~~	∞ •0	9 10	010	4-9-1	90	9	\sim	50 3	- 00	50 0	~	0 0	am	~	00 4	9		
¥	- a	532	8.4	~ •	6 T	9	52	55	07	<u> </u>	73	200	300	5.8	988	93	900	5 6	202	20	24	50	85	5	5	5 5	25	20	35		
110		m m m																													•
ž	**+G=&+																														
Ξ	SHAFEH																														
GROWTH NATIONAL	_																														-
	ır < 3 . m				•	•		•	•	• •	•			• •	•	•		•	•	• •	•		•	•	•	•	•	•	• •		•
H I GH	4-0F2	• • •	• •	• •	•	• •	• •	•	• •	• •	•		• •	• •	•	•	• •	• •	•		•	•	•	• •	•	• •	•	•	• •	• •	•
FOR	~ L	• • •	• •	• •	•		• •	•	• •	• •	•		• •	• •		• •			•	• •	•		•		•		•	•	• •	٠.	•
Ξ	ひ E E E E E E E E E E E E E	~~~					~ ~									· ~ -	·		-					-	 -		-				-
	asim	~00	•		9 4			۰-	- 0			• • •	>		٥-	0	90		•	-	٥ -			•	۰.	-0	0	-	•		-4
ABLES	MICD MICD	~99																													
ABLES	_		,	• •	-		• •	~ c	•	-	-		-0		~ 0	•	, ~ •		۰.	- 0	0 0	,	•	•		90	0	- <	•	-	•
VARIABLES	03E0	000		0 0	-	•	• •			-0	96	, - 0	-0	o	~ 0	•	40			-0	o		.		- c		0	- - <		-	•
VARIABLES	03E0	999	5.0	5.1 5.1 6.0 6.0			6.8 6.0 7	1.9		6.6 0 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	7.2	0 0 9 7	7.7 0 07.9 1 0	8.100	9.00	400	9.55 9.55 9.55	9.8 1 0	0.20	0.5 0 0 2 0	1.0 0.1	0 c	1.8 1 0	2.0 0 1	2.6 0 0	2.9 1 0	7.1	N.7.	-	•
VARIABLES	NJCD NJPEN	14.6 0 0	15.0	15.1 0 0	15.4 1 0	15.7	15.8 0	16.1 0 1	90	16.6 1 0 16.8 0 1	16.9	17.2	17.6 0 0	17.7 0 0	18.1	13.6	10.01	19.5	19.8 1 0	20.2 0 0	20.5 0 0	21.0 0 1	21.3	21.8 1 0	22.0 0 1	22.6 0 0	22.9 1 0	23.1 0 1	23.7 0 0	-	•
VARIABLES	nace Pace	4.7 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	6 15.0	7 15.1 0 0 8 15.3 0 0	9 15.4 1 0	15.7	1 15.8 0 0 2 16.0 1 0	2 16.1 0 1 3 16.3 P 0		5 16.6 1 0	6 16.9 0 0	8 17.2 1 0	0 17.6 0 0	0 17.7 0 0 1 17.9 1 0	3 18.1 0 1	7 136.6	2 19.0	7 19.5 0 0	7 19.8 1 0	9 20.2 0 0	0 20.5 0 0	1 21.0 0 1	2 21.3	3 21.8 1 0	4 22.0 0 1	6 22.6 0 0	6 22.9 1 0	23.1 0 1	9 23.7 0 0	-	•
VARIABLES	NJCD NJPEN	8 134 14.6 0 0 7 135 14.7 0 0	0 136 15.0 0 1	3 137 15.1 0 0 9 138 15.3 0 0	6 138 15.4 1 0	7 140 15.7 0 0	0 141 15.8 0 0 5 142 16.0 1 0	2 142 16.1 0 1	5 1 5 7	7 145 16.6 1 0 3 145 16.8 0 1	2 146 16.9 0 0	5 148 17.2 1 0	9 150 17.6 0 0	0 150 17.7 0 0 2 151 17.9 1 0	0 152 18.1 0 1 4 153 18.4 0 0	3 154 18.6 0 0	4 155 19.0 0 1	7 156 19.5 0 0 3 157 19.5 0 0	0 157 19.8 1 0	1 159 20.2 0 0	5 160 20.5 0 0	5 161 21.0 0 1	3 162 21.3 0 0	0 163 21.8 1 0	0 164 22.0 0 1	5 166 22.6 0 0	1 166 22.9 1 0	9 167 23.1 0 1	3 169 23.7 0 0	-	•
VARIABLES	NJCD NJPEN	134 14.6 0 0 135 14.7 0 0	0000 136 15.000 1	133 137 15.1 0 0 209 138 15.3 0 0	286 138 15.4 1 0 366 139 15.6 0 1	447 140 15.7 0 0	530 141 15.8 0 0 615 142 16.0 1 0	702 142 16.1 0 1	884 144 16.4 0 0	977 145 16.6 1 0 073 145 16.8 0 1	172 146 16.9 0 0	375 148 17.2 1 0	0 0 9.71 051 985	700 150 17.7 0 0 802 151 17.9 1 0	910 152 18.1 0 1 014 153 18.4 0 0	123 154 18.6 0 0	324 155 19.0 0 1	533 157 19.5 0 0	640 157 19.8 1 0	861 159 20.2 0 0	975 160 20.5 0 0	195 161 21.0 0 1	308 162 21.3 0 0 423 163 21 5 0 0	540 163 21.8 1 0	660 164 22.0 0 1	905 166 22.6 0 0	031 166 22.9 1 0	159 167 23.1 0 1	423 169 23.7 0 0	-	•
ABLES	A3E0 8-45-8-0-8-0-8-0-8-0-8-0-8-0-8-0-8-0-8-0-8-	6 2848 134 14.6 0 0 1 2917 135 14.7 0 0 4 2948 134 14 8 1 0	6 3060 136 15.0 0 1	7 3133 137 15.1 0 0 2 3209 138 15.3 0 0	7 3286 138 15.4 1 0	6 3447 140 15.7 0 0	0 3530 141 15.8 0 0 5 3615 142 16.0 1 0	0 3702 142 16.1 0 1 4 1792 143 16 1 0 1	9 3884 144 16.4 0 0	4 3977 145 16.6 1 0 9 4073 145 16.8 0 1	3 4172 146 16.9 0 0	3 4375 148 17.2 1 0	3 4589 150 17.6 0 0	8 4700 150 17.7 0 0 3 4802 151 17.9 1 0	8 4910 152 18.1 0 1 3 5014 153 18.4 0 0	9 5123 154 18.6 0 0	9 5324 155 19.0 0 1	4 542/ 156 19.3 0 0 0 5533 157 19.5 0 0	6 5640 157 19.8 1 0	6 5861 159 20.2 0 0	1 5975 160 20.5 0 0	0 6195 161 21.0 0 1	5 6308 162 21.3 0 0 0 4423 163 21.5 0 0	4 6540 163 21.8 1 0	8 6660 164 22.0 0 1	2 6/61 163 22.3 0 0 7 6905 166 22.6 0 0	1 7031 166 22.9 1 0	6 7159 167 23.1 0 1	5 7423 169 23.7 0 0		• • • • • • • • • • • • • • • • • • • •
VARIABLES	**************************************	0.6 2848 134 14.6 0 0 1.1 2917 135 14.7 0 0 1.4 2948 134 14.8 1 0	2.6 3060 136 15.0 0 1	2.7 3133 137 15.1 0 0 3.2 3209 138 15.3 0 0	3.7 3286 138 15.4 1 0 6.1 3366 139 15.6 0 1	4.6 3447 140 15.7 0 0 0	5.0 3530 141 15.8 0 0 5.5 3615 142 16.0 1 0	6.0 3702 142 16.1 0 1 6.4 3792 143 16 3 0 0	6.9 3884 144 16.4 0 0	7.4 3977 145 16.6 1 0 7.9 4073 145 16.8 0 1	8.3 4172 146 16.9 0 0 8 8 8 4 2272 14.7 17 1 0 0	9.3 4375 148 17.2 1 0	0.3 4589 150 17.6 0 0	0.8 4700 150 17.7 0 0 1.3 4802 151 17.9 1 0	1.8 4910 152 18.1 0 1 2.3 5014 153 18.4 0 0	2.9 5123 154 18.6 0 0	3.9 5324 155 19.0 0 1	5.0 5533 157 19.5 0 0	5.6 5640 157 19.8 1 0	6.6 5861 159 20.2 0 0	7.1 5975 160 20.5 0 0	8.0 6195 161 21.0 0 1	8.5 6308 162 21.3 0 0 8 9 6623 163 21 5 0 0	9.4 6540 163 21.8 1 0	9.8 6660 164 22.0 0 1	0.7 6905 166 22.6 0 0	1.1 7031 166 22.9 1 0	1.6 7159 167 23.1 0 1 0 0 2290 148 23 6 0 0	2.5 7423 169 23.7 0 0		• • • • • • • • • • • • • • • • • • • •
VARIABLES	**************************************	70.6 2848 134 14.6 0 0 71.1 2917 135 14.7 0 0 71 4 2948 134 14.8 1 0	72.6 3060 136 15.0 0 1	72.7 3133 137 15.1 0 0 73.2 3209 136 15.3 0 0	73.7 3286 138 15.4 1 0	74.6 3447 140 15.7 0 0	75.0 3530 141 15.8 0 0 75.5 3615 142 16.0 1 0	76.0 3702 142 16.1 0 1 26.4 3792 143 163 0	76.9 3884 144 16.4 0 0	77.4 3977 145 16.6 1 0 77.9 4073 145 16.8 0 1	78.3 4172 146 16.9 0 0	79.3 4375 148 17.2 1 0	80.3 4589 150 17.6 0 0	80.8 4700 150 17.7 0 0 81.3 4802 151 17.9 1 0	81.8 4910 152 18.1 0 1 82.3 5014 153 18.4 0 0	82.9 5123 154 18.6 0 0	63.9 5324 155 19.0 0 1	84.4 542/ 156 19.5 0 0 85.0 5533 157 19.5 0 0	85.6 5640 157 19.8 1 0	86.6 5861 159 20.2 0 0	87.1 5975 160 20.5 0 0 87 & 6086 160 20.7 1 0	88.0 6195 161 21.0 0 1	88.5 6308 162 21.3 0 0 88 9 6623 163 21 5 0 0	89.4 6540 163 21.8 1 0	89.8 6660 164 22.0 0 1	90.7 6905 166 22.6 0 0	91.1 7031 166 22.9 1 0	91.6 7159 167 23.1 0 1 92 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	92.5 7423 169 23.7 0 0		0 0 .
VARIABLES	**************************************	9 70.6 2848 134 14.6 0 0 9 71.1 2917 135 14.7 0 0	30 72.6 3060 136 15.0 0 1	30 72.7 3133 137 15.1 0 0 30 73.2 3209 136 15.3 0 0	30 73.7 3286 138 15.4 1 0 30 74 1 34 139 15 6 0 1	330 24.6 3447 140 15.7 0 0	30 75.0 3530 141 15.8 0 0 30 75.5 3615 142 16.0 1 0	30 76.0 3702 142 16.1 0 1	30 76.9 3884 144 16.4 0 0	30 77.4 3977 145 16.6 1 0 30 77.9 4073 145 16.8 0 1	30 78.3 4172 146 16.9 0 0	30 79.3 4375 148 17.2 1 0	30 /9.8 4461 149 1/.4 U 1	30 80.8 4700 150 17.7 0 0 30 81.3 4802 151 17.9 1 0	30 81.8 4910 152 18.1 0 1 30 82.3 5014 153 18.4 0 0	30 82.9 5123 154 18.6 0 0	30 63.9 5324 155 19.0 0 1	30 85.4 542/ 156 19.3 0 0 30 85.0 5533 157 19.5 0 0	30 85.6 5640 157 19.8 1 0	30 86.0 5750 158 20.0 U 1 30 86.6 5861 159 20.2 0 0	30 87.1 5975 160 20.5 0 0	30 88.0 6195 161 21.0 0 1	30 88.5 6308 162 21.3 0 0	30 89.4 6540 163 21.8 1 0	30 89.8 6660 164 22.0 0 1	30 90.7 6905 166 22.6 0 0	30 91.1 7031 166 22.9 1 0	30 91.6 7159 167 23.1 0 1	30 92.5 7423 169 23.7 0 0	30	30
VARIABLES	PALEECT STOP STOP STOP STOP STOP STOP STOP STO	129 70.6 2848 134 14.6 0 0 129 71.1 2917 135 14.7 0 0 116 71 1 2917 135 14.7	130 72.6 3060 136 15.0 0 1	130 72.7 3133 137 15.1 0 0 130 73.2 3209 136 15.3 0 0	130 73.7 3286 138 15.4 1 0	130 74.6 3447 140 15.7 0 0	130 75.0 3530 141 15.8 0 0 11 130 75.5 3615 142 16.0 1 0	130 76.0 3702 142 16.1 0 1	130 76.9 3584 144 16.4 0 0	130 77.4 3977 145 16.6 1 0 130 77.9 4073 145 16.8 0 1	130 78.3 4172 146 16.9 0 0	130 79.3 4375 148 17.2 1 0	130 80.3 4589 150 17.6 0 0	130 80.8 4700 150 17.7 0 0 130 81.3 4802 151 17.9 1 0	130 81.8 4910 152 18.1 0 1 130 82.3 5014 153 18.4 0 0	130 82.9 5123 154 18.6 0 0	130 63.9 5324 155 19.0 0 1	130 85.4 542/ 156 19.5 0 0 130 85.0 5533 157 19.5 0 0	130 85.6 5640 157 19.8 1 0	130 86.6 5861 159 20.2 0 0	130 87.1 5975 160 20.5 0 0	130 88.0 6195 161 21.0 0 1	130 88.5 6308 162 21.3 0 0	130 89.4 6540 163 21.8 1 0	130 89.8 6660 164 22.0 0 1	130 90.7 6905 166 22.6 0 0	130 91.1 7031 166 22.9 1 0	130 91.6 7159 167 23.1 0 1	130 92.5 7423 169 23.7 0 0	30	30
VARIABLES	PALEECT STOP STOP STOP STOP STOP STOP STOP STO	3.0 129 70.6 2848 134 14.6 0 0 4.1 129 71.1 2917 135 14.7 0 0 0 0 13.0 13.0 14.8 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	4.9 130 72.6 3060 136 15.0 0 1	9.8 130 72.7 3133 137 15.1 0 0 2.0 130 73.2 3209 138 15.3 0 0	7.3 130 73.7 3286 138 15.4 1 0	4.7 130 74.6 3447 140 15.7 0 0	2.9 130 75.0 3530 141 15.8 0 0 8.6 130 75.5 3615 142 16.0 1 0	6.6 130 76.0 3702 142 16.1 0 1 c. n 130 26 4 3792 143 16 3 0 0	4.2 130 76.9 3884 144 16.4 0 0	2.5 130 77.4 3977 145 16.6 1 0 6.2 130 77.9 4073 145 16.8 0 1	5.5 130 78.3 4172 146 16.9 0 0 5.4 13.0 28.4 4272 14.7 17 1 0 0	0.1 130 29.3 4375 148 17.2 1 0	3.9 130 80.3 4589 150 17.6 0 0	4.4 130 80.8 4700 150 17.7 0 0 0.9 130 81.3 4802 151 17.9 1 0	7.6 130 81.8 4910 152 18.1 0 1 4.4 130 82.3 5014 153 18.4 0 0	1.3 130 82.9 5123 154 18.6 0 0	5.7 130 63.9 5324 155 19.0 0 1	5.1 150 84.4 542/ 156 19.5 0 0 0.7 130 85.0 5533 157 19.5 0 0	3.5 130 85.6 5640 157 19.8 1 0	6.4 130 86.0 3730 138 20.0 0 1 4.5 130 86.6 5861 159 20.2 0 0	2.8 130 87.1 5975 160 20.5 0 0	9.8 130 88.0 6195 161 21.0 0 1	8.6 130 88.5 6308 162 21.3 0 0 0 4 1 1 1 2 1 2 1 2 0 0	6.6 130 89.4 6540 163 21.8 1 0	5.9 130 89.8 6660 164 22.0 0 1	5.0 130 90.7 6905 166 22.6 0 0	6.9 130 91.1 7031 166 22.9 1 0	4.9 130 91.6 7159 167 23.1 0 1 5.1 110 42 0 2240 168 21 6 0 0	5.5 130 92.5 7423 169 23.7 0 0	30	30
VARIABLES	PALEECT STOP STOP STOP STOP STOP STOP STOP STO	.0 129 70.6 2848 134 14.6 0 0 1 129 71.1 2917 135 14.7 0 0 1 140 71 6 2948 134 14 8 1 0	494.9 130 72.6 3060 136 15.0 0 1	509.8 130 72.7 3133 137 15.1 0 0 522.0 130 73.2 3209 138 15.3 0 0	537.3 130 73.7 3286 138 15.4 1 0 55.6 2 1 1 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	564.7 130 24.6 3447 140 15.7 0 0	582.9 130 75.0 3530 141 15.8 0 0 598.6 130 75.5 3615 142 16.0 1 0	616.6 130 76.0 3702 142 16.1 0 1 kg a n	654.2 130 76.9 3884 144 16.4 0 0	672.5 130 77.4 3977 145 16.6 1 0 686.2 130 77.9 4073 145 16.8 0 1	705.5 130 78.3 4172 146 16.9 0 0	740.1 130 79.3 4375 148 17.2 1 0	753.9 130 80.3 4589 150 17.6 0 0	784.4 130 80.8 4700 150 17.7 0 0 800.9 130 81.3 4802 151 17.9 1 0	817.6 130 81.8 4910 152 18.1 0 1 834.4 130 82.3 5014 153 18.4 0 0	851.3 130 82.9 5123 154 18.6 0 0	885.7 130 83.9 5324 155 19.0 0 1	905.1 150 84.4 542/ 156 19.5 0 0 920.7 130 85.0 5533 157 19.5 0 0	933.5 130 85.6 5640 157 19.8 1 0	974.5 130 86.6 5861 159 20.2 0 0	992.8 130 87.1 5975 160 20.5 0 0	029.8 130 88.0 6195 161 21.0 0 1	048.6 130 88.5 6308 162 21.3 0 0	086.6 130 89.4 6540 163 21.8 1 0	105.9 130 89.8 6660 164 22.0 0 1	145.0 130 90.7 6905 166 22.6 0 0	164.9 130 91.1 7031 166 22.9 1 0	184.9 130 91.6 7159 167 23.1 0 1	225.5 130 92.5 7423 169 23.7 0 0	30	30
VARIABLES	G C T C C C C C C C C C C C C C C C C C	0 1453.0 129 70.6 2848 134 14.6 0 0 1464.1 129 71.1 2917 135 14.7 0 0 0 1488.1 130 71 4 2948 134 14 8 1 0	0 1494.9 130 72.6 3060 136 15.0 0 1	0 1509.8 130 72.7 3133 137 15.1 0 0 0 1522.0 130 73.2 3209 138 15.3 0 0	0 1537.3 130 73.7 3286 138 15.4 1 0 m 1550 2 130 74 1 3364 139 15.6 0 1	1564.7 130 24.6 3447 140 15.7 0 0	0 1582.9 130 75.0 3530 141 15.8 0 0 0 1598.6 130 75.5 3615 142 16.0 1 0	0 1616.6 130 76.0 3702 142 16.1 0 1 0 1634 A 130 76 4 3792 143 16 3 0	0 1654.2 130 76.9 3884 144 16.4 0 0	0 1672.5 130 77.4 3977 145 16.6 1 0 0 1686.2 130 77.9 4073 145 16.8 0 1	0 1705.5 130 78.3 4172 146 16.9 0 0	0 1740.1 130 79.3 4375 148 17.2 1 0	0 1763.9 130 80.3 4589 150 17.6 0 0	0 1784.4 130 80.8 4700 150 17.7 0 0 0 1800.9 130 81.3 4802 151 17.9 1 0	0 1817 6 130 81 8 4910 152 18 1 0 1 0 1834 4 130 82 3 5014 153 18 4 0 0	0 1851.3 130 82.9 5123 154 18.6 0 0	0 1885.7 130 83.9 5324 155 19.0 0 1	0 1905.1 150 84.4 542/ 156 19.5 0 0 0 1920.7 130 85.0 5533 157 19.5 0 0	0 1933.5 130 85.6 5640 157 19.8 1 0	0 1956.4 130 86.0 5/50 158 20.0 0 1 0 1974.5 130 86.6 5861 159 20.2 0 0	0 1992.8 130 87.1 5975 160 20.5 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 2029.8 130 88.0 6195 161 21.0 0 1	0 2048.6 130 88.5 6308 162 21.3 0 0 0 0 2047 5 130 88 9 6423 161 21 5 0 0	0 2086.6 130 89.4 6540 163 21.8 1 0	0 2105.9 130 89.8 6660 164 22.0 0 l	0 2145.0 130 90.7 6905 166 22.6 0 0	0 2164.9 130 91.1 7031 166 22.9 1 0	0 2184.9 130 91.6 7159 167 23.1 0 1 0 2264.1 140 42 0 2240 148 24 6 0 0	0 2225.5 130 92.5 7423 169 23.7 0 0	0 130	0 130 . 0 0
VARIABLES	CHO ECT CHO	1453.0 129 70.6 2848 134 14.6 0 0 1464.1 129 71.1 2917 135 14.7 0 0 1464.1 130 71.6 2948 134 14.8 1 0	10 1494.9 130 72.6 3060 136 15.0 0 1	10 1509.8 130 72.7 3133 137 15.1 0 0 10 1522.0 130 73.2 3209 138 15.3 0 0	10 1537.3 130 73.7 3286 138 15.4 1 0 18 15.5 2 130 74 1 3366 139 15.6 0 1	10 1564.7 130 74.6 3447 140 15.7 0 0	10 1582.9 130 75.0 3530 141 15.8 0 0 10 1598.6 130 75.5 3615 142 16.0 1 0	10 1616.6 130 76.0 3702 142 16.1 0 1	10 1654.2 130 76.9 3884 144 16.4 0 0	10 1672.5 130 77.4 3977 145 16.6 1 0 10 1686.2 130 77.9 4073 145 16.8 0 1	10 1705.5 130 78.3 4172 146 16.9 0 0	10 1740.1 130 79.3 4375 148 17.2 1 0	10 1753.9 130 50.3 4569 150 17.6 0 0	10 1784.4 130 80.8 4700 150 17.7 0 0 10 1800.9 130 81.3 4802 151 17.9 1 0	10 1817.6 130 81.8 4910 152 18.1 0 1 10 1834.4 130 82.3 5014 153 18.4 0 0	10 1851.3 130 82.9 5123 154 18.6 0 0	10 1885.7 130 83.9 5324 155 19.0 0 1	10 1903.1 130 84.4 542/ 156 19.3 0 0 10 1920.7 130 85.0 5533 157 19.5 0 0	10 1933.5 130 85.6 5640 157 19.8 1 0	10 1976.4 130 86.0 3730 138 20.0 0 1 10 1974.5 130 86.6 5861 159 20.2 0 0	10 1992.8 130 87.1 5975 160 20.5 0 0	10 2029.8 130 88.0 6195 161 21.0 0 1	10 2048.6 130 88.5 6308 162 21.3 0 0	10 2086.6 130 89.4 6540 163 21.8 1 0	10 2105.9 130 89.8 6660 164 22.0 0 1	10 2145.0 130 90.7 6905 166 22.6 0 0	10 2164.9 130 91.1 7031 166 22.9 1 0	10 2184.9 130 91.6 7159 167 23.1 0 1	10 2225.5 130 92.5 7423 169 23.7 0 0	10 130	10 130 . 0 0
VARIABLES	G C T C C C C C C C C C C C C C C C C C	10 1453.0 129 70.6 2848 134 14.6 0 0 10 1464.1 129 71.1 2917 135 14.7 0 0 10 1464.1 140 71 4 2948 134 14 8 1 0	2 110 1494.9 130 72.6 3060 136 15.0 0 1	3 110 1509.8 130 72.7 3133 137 15.1 0 0 4 110 1522.0 130 73.2 3209 138 15.3 0 0	1 110 1537.3 130 73.7 3286 138 15.4 1 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3 110 1564, 7 130 74.6 3447 140 15.7 0 0	4 110 1562.9 130 75.0 3530 141 15.8 0 0 1 110 1598.6 130 75.5 3615 142 16.0 1 0	2 110 1616.6 130 76.0 3702 142 16.1 0 1	4 110 1654.2 130 76.9 3884 144 16.4 0 0	1 110 1672.5 130 77.4 3977 145 16.6 1 0 2 110 1686.2 130 77.9 4073 145 16.8 0 1	3 110 1705.5 130 78.3 4172 146 16.9 0 0	1 110 1740.1 130 29.3 4375 146 17.2 1 0	3 110 1763.9 130 80.3 4589 150 17.6 0 0	4 110 1784.4 130 80.8 4700 150 17.7 0 0 1 110 1800.9 130 81.3 4802 151 17.9 1 0	2 110 1817 6 130 81 8 4910 152 18 1 0 1 3 110 1834 4 130 82 3 5014 153 18 4 0 0	4 110 1851.3 130 82.9 5123 154 18.6 0 0	2 110 1885.7 130 83.9 5324 155 19.0 0 1	3 110 1903.1 130 84.4 542/ 156 19.3 0 0 4 110 1920.7 130 85.0 5533 157 19.5 0 0	1 110 1933.5 130 85.6 5640 157 19.8 1 0	3 110 1974.5 130 86.6 5861 159 20.2 0 0	4 110 1992.8 130 87.1 5975 160 20.5 0 0	2 110 2029.8 130 88.0 6195 161 21.0 0 1	3 110 2048.6 130 88.5 6308 162 21.3 0 0 cm. 110 2067 5 130 88 9 6623 163 215 0 0	1 110 2086.6 130 89.4 6540 163 21.8 1 0	2 110 2105.9 130 89.8 6660 164 22.0 0 l	4 110 2123 4 130 90.2 6/81 163 22.5 0 0 4 110 2145 0 130 90.7 6905 166 22.6 0 0	1 110 2164.9 130 91.1 7031 166 22.9 1 0	2 110 2184.9 130 91.6 7159 167 23.1 0 1 x x x x 110 22.1 0 1 x x x x x x x x x x x x x x x x x	4 110 2225.5 130 92.5 7423 169 23.7 0 0	2 110 . 130	3 110 . 130 0 0

F&F-0-2-			•		
この出くし だっ				•	
⊈ rr ≼ ox ru	•				•
£<+0£0	٠		•	•	•
~~~ ~ ~ ~	٠		•	•	•
& & - O - S -	•	•	•	•	•
ഗ ш∢⊢ ∑ ⊣	•	•	•		•
r < & m		•	•	•	•
<⊢3€%	•	•	•	•	•
æ a	٠	•		•	•
DIMRING	-	-	-		
AJEM	•	0	0		0
AJEN	•	9		•	9
235~	6	-	0	•	9
かよかまぐほ<>	•	•	٠	•	•
∢ ≘±	•	•	•	٠	•
ド するメモのデザ			•	•	•
ドンミー<ひ	•	٠	•	•	•
5 F0	130	130	130	130	130
OZENN	•	•			•
<>====================================	110	110	110	110	110
~~ Œ	934	941	942	943	944

_
Ē
Ξ
¥
NATIONA
-
¥
FOR
PREDICTIONS
1
310
REL
GROWIN
GRU
=
11161
_
S 4
URECAS
-FUR
GRU-
FORMIC
Ĭ

PRPIDIST	Second	182.9 189.2 188.6
PSEAIMI	10000000000000000000000000000000000000	778.7 046.0 108.4
PFARE	100 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	22.97
PATOPS	### ##################################	9275
PRP11	1	6231
SEAIMI	33356 33566 33566 33566 33566 33566 33566 33566 33566 33566 33566 33566 33566 33566 33566 33566 33566 33566 335666 335666 335666 335666 335666 335666 3356666 33566666 33566666 335666666 3356666666 3356666666 33566666666 33566666666 335666666666 3356666666666	• • •
A TOPS	00000000000000000000000000000000000000	
RP11	20000000000000000000000000000000000000	
RPIDISI	11111111111111111111111111111111111111	
FARE		
\$ 3	・クレントレートレーレートととしてもないないないない。 そのではないないないないないない。 そのではないないないないないないないないないないないないないないないないないないない	40 4
085	ごまできめらおくちかいかくりらいまくりもなくりらいないこれいないないまなしょうちゃんりょうちゃくりょうちゃまとしょいらまでいます。 ちょうちょうしょうしょう ちゅうりょう ちゅうりょう ちゅうりょう ちゅうりょう ちゅうりょう ローロー・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・	

			FORMI	GRO-FORE	CAST HIGH	GROWTH PRI	EDICTIONS	FORNIGRO-FORECASI HIGH GROWIN PREDICTIONS FOR NATIONAL MODEL	MODEL		
S	918	FARE	RPIDIST	RP11	ATOPS	SEAIMI	PRPT1	PA10PS	PFARE	PSEAIMI	PRPTDIS
	168		•	•			7.7097		128.514	2141.73	1210.4
	892	•					7.9653		124.789	2219.28	1258.5
	893			•			8.2910		125.711	2260.44	1318.26
	894				•		8.2456	2.07215	127.647	2336.35	1319.29
	901	•			•		8.3749	•	131.321	2360.24	1339.9
	902				•		8.6382		127.493	2452.90	1390.7
	903	•	•		•	•	8.9659	•	128.292	2506.61	1452.48
	406	•	•	•		•	8.9102	•	130.308	2574.67	1452.36
	116		•		•		9.0529		133.989	2611.93	1475.6.
	912			•			9.3191		130.400	2699.01	1528.3
	913		•		•	•	9.6480	•	131.280	2755.18	1591.92
	914		•		•	•	9.6130	• •	133.353	2840.50	1595.76
	921		•				9.7519	•	137.129	2879.58	1619.8
	922		•		•		10.0382	•	133.688	2973.25	1676.35
	923			•			10.3765		134.716	3033.39	1743.25
	926		•		•		10.3502		136.918	3124.10	1749.18
	931	•					•				
	932		•	•	•			•		•	
	933	•		•				•	•	•	•
	934	•	•		•	•		•	•	•	
	941						•		•		•
	942		•			•	•			٠	•
	943	•			•		•		•	•	٠
	944		•		•	•	•	•	,	•	•

				ANNUA	ANNUALIZED FORECAS High Gröwth	ASI			
vo.	¥	ASM	RPM	ENP	0.65	FRC_1SM	FRC_RPM	FRC_ENP	FRC_OPS
	75	1415.05	616.09	5.2641	2.03572	1422.3	624.67	5.3214	2.04257
~	97	1482.78	674.90	5.8337	2.21437	1449.0	655.95	5.7134	2.1/840
•	11	1668.37	841.32	7.0539	2.53099	1685.4	651.74	7511.7	2.26328
•	78	1913.83	1031.09	8.5453	2.81209	1961.5	1036.35	2.5797	2.83620
.	79	2843.25	1447.06	11.0367	3.67740	2805.0	1441.55	11.0035	3.64982
· A ~	9 -	•	•			3884 8	1819.97	13,6275	66698.5
س .		•	•	•		4341.4	2123.97	15.5285	5.24342
	\ \ \	•	•	•	•	4811.6	2445.68	17.5262	5.59772
	4	• 1	•			5348.6	2812.89	19.7013	6.00162
	S					5943.8	3213.89	22.0469	6.41219
. ~	98	• .				6570.0	3651.49	24.4607	6.83430
.	87					7283.9	4117.10	26.9912	7.25455
•	88	. ,				8078.7	4596.33	29.5524	7.66822
. 10	•					8957.8	5106.50	32.2116	8.09097
	9		. •			9894.4	5635,58	34.8892	8.51382
	6	. ,				9,90601	6191.63	37.6330	8.94059
	92					12010.3	6788.63	40.5228	9.38016
•	93	•	•		•	•			
•	\$			•	•	•	٠		

HAWAII

	AIMI	6 S	1903		- 66 - 60 - 60	3000	200	200 200	220	5587 5614 1385	400		300	500	かまり	27
	PSE		==			-		~~8	800	222	m		~~;		9 61 6	رخي دمار
	151	90	201		60 00 00		000	~~ ~	950	02 S 23 8 36 8	900	. ~ ~	900	201	~ ~ ~	
	RP TD1	87	7.62		28.5	92.	5.5.	32.28	22.2	44.7	8.0	22.5	24.	.25	25.0	200
	<u>م</u>	•	1 4 8 0		~				~~~	~~~	~~					100
	10PS	2.94	2407 4659		336 296 844	20.00	763	176 144 708	701 137 105	96698 96711	160	102	692	137	196 196 197	320
	PA	• • • • • • • • • • • • • • • • • • •			•••	9.00		•••	0.00	000	7.7.	: -: -:				
	_	ri c	422		9.40		*~~	~0~	5	011 421 870	- O W =	~ 1 €	20×	. در ادر ا	~ & •	9-1
	PRP1	20 € 20 €	087		. 102 . 107 . 112		126	136	140	. 156 . 155 . 160	171	181	386.	202	208	219
		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	ma			999		900			995			•	<b>390</b>	1
۔	AIMI		318											<b>.</b>		
MODE	SE															
	1510	24 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	933													
HALLA	RP.	www.www.www.www.www.www.www.www.www.ww				• •						. <b>.</b> .				•
FOR		169166121604166682 16912160664166669 169126664166669 169126946641669	• 0- 0-													
ABLES	A I UP S		200	. <b>.</b> .								. <b>.</b> .				,
AKI	•		. ~ 0													
A 151	_		800													
URECA	<u>~</u>	000000000000000000000000000000000000000		• • •	• • •	· · ·			• • •							•
<del>-</del>	DUITS	99~090~090~00	·-• ·					<b>-</b> -		~00	0-0	• • •	-00	0-		~ o.
UKHAHA I	C4															
3	กาด	3-99-9-99-99-99-		• • •	<b>-</b>		-00		<b>9</b> 0-	000	-00	· · · · · ·		~0	<b>-</b> 0 c	30
	DUNI		· • • •			0-0				<b>-</b>	300		• • <del>-</del>	-00	<i>-</i>	<b>3</b> 0.
	ے ا				~	~ 5	200	കയയ	~~.0	990	~ 20 =	·	و ټ ۍ	x 3	~ ~ x	w
	015				220	رد زم زم	ه به به	ننة	~ 00 00	4.86 4.89 4.92	ح ۾ و	999	~~~	ci ci:	NWW	
	V I S	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	20		222	000	200	200	000	969	999		999	300	222	3.3.
	VESE		575		900	000		900	000	300	900	000	900	000	300	00
	~		. 4. 4							440						
			531			000		5000	5000	5.00	500	000	200	200		000
	Ā	~ <b>43 43 44 45 45 45 45 45 45 45 45 45 45 45 45 </b>			<b>e</b> 0 =0 =0	<b>20</b> 0 0	r 30 00 1	<b>~~~</b>	•••	222	***	. 4	~ ~ ~	44	***	9
	3	00000000000000000000000000000000000000	293	808	812	814	8 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	832 832 833	8 54 8 43 8 42	85.5 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 1	85.52	861	863	872	8/4 861 833	883 884
	900	<b>まえをおろうのかなどもならりまごをしまるできるできるできるともにまたっていまた。</b>	5000	1 10 Ci	282	<b>60 0</b> 5 0	325	2 10 E	36.23	20 40 41	61 <del>4</del> 2 4	2.0	74.2 V 85.2	95	000 000 000 000	55 56

	PSEAIMI	56,0537	36.07/5	37.5846	37.6710	40.4114	40.5023	42.0953	42.2070	44.4745	44.5444	46.1745	46.3110	48.7103	48.7818	-	50.6571
	PRPTDIST	21.0104	21.5337	22.0630	22.0544	22,7199	23.2459	23.7898	23.7930	24.4818	25.0342	25.5810	25.5960	26.3085	26.8639	27.4373	27.4642
	PA10PS	0.142615	0.142910	0.148879	0.149222	0.153790				0.165133	0.165393	0.171445	0.171952	0.176807	0.177066	0.183284	0.183873
	PRPT1	0.224710	0.230307	0.235967	0.235876	0.241701	0.247297	0.253083	0.253117	0.259066	0.264913						0.289097
	SEAIME	•								•	•			•		•	
	RPIDIST		•			•	•			•		•		•			
	ATOPS		٠				•	•		•		•		•		•	
	KP11	•				•											
	DUMS	•	•	-	0	•	•	_	9	•	•	_	•	•	•	_	9
	DUM2	•	~	0	0	9	~	•	-	4	-	•	•	•	_	9	9
•	LUUT	-	9	•	•	-	•	•	•		-	•	0	_	•	•	•
	DISINC	5.438	5.472	5.506	5.540	5.574	5.608	5.643	5.678	5.713	5.749	5.784	5.820	5.856	5.892	5.929	5.966
	AVESEATS	<b>5</b>	. v	5.4	5.4	5.6	<b>9</b> .6	5.6	5.6	5.7	5.7	5.7	5.7		8	<b>5</b> .8	5.8
	-tav	93.5	93.5	95.5	93.5	94.6	94.0	94.0	94.	94.5	94.5	94.5	94.5	95.0	95.0	95.0	95.0
	¥	168	8 92	893	9 9 4	106	902	503	964	91	912	913	914	921	922	923	924
	<b>CB</b> 5	25	28	59	9	79	62	63	49	6 5	99	67	83	69	7.0	7	75

	FSFAI	00000000000000000000000000000000000000
	PRPTDIST	7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7
	PAIOPS	0.052940 0.052940 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.052042 0.0
	PRP11	0.083534 0.085324 0.085324 0.085324 0.102902 0.1126899 0.112650 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.121741 0.
MODEL	SEATH	100
HAHAII	RPIDIST	82444888448888888888888888888888888888
TABLES FOR	A10PS	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
-FORECAST VAR	RF11	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
WA I - F0	PUN 3	
FORHAWAI	DUM?	
	DUMI	
	P151HC	######################################
	AVESEATS	\$\text{24} \text{24} \text
	ADF	
	3.	ではないます。 ではないまからですりというないないない。 それにもいるできないまりようにもなってもないとしましましまりものもんもんないもいまってもないないないないないないないない。 それにもいるできなどもないまからからないましましましましましましまってもなってもなってもなってもないます。
	085	<b>でなかとご目のもなくからからいまなをををををとなっておおいこのもなくからいまたとしますがらないないないとととをををををををとなっているできるものものいいというというというというといいといいました。</b>

9 9 1 8 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9	52 - 25 - 25 - 25 - 25 - 25 - 25 - 25 -	10151 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 202555 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 20255 202	1	PRP11	PA10PS	PRP1DIST	PSEAIMI
	2292 229668 2206668 220666 220666 230666 230666 230666 230666 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 26929 2692	2525 25256 25256 25256 25256 25253 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 25233 252					
	200 200 200 200 200 200 200 200 200 200	2000 2000 2000 2000 2000 2000 2000 200					
	200 200 200 200 200 200 200 200 200 200	200 100 100 100 100 100 100 100 100 100					
	79211 7925 7925 7925 7925 7925 7925 7925 7925	69156 690 690 690 990 990 890 890 890 890 890 10. 990 10. 990 890 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 990 10. 900 10. 900 10. 900 10. 900 10. 900 10. 900 10. 900 10. 900 10. 900 10. 900 10. 900 10. 900 10. 900 10. 900 10. 900 10. 900 10. 900 10. 900 10. 900 10. 900 10. 900 10. 900 10. 900 10. 900 10. 900 10. 900 10. 900 10. 900 10. 900 10. 900 10. 90 10. 900 10. 90 10. 90 10. 90 10. 90 10. 90 10. 90 10. 90 10. 90 10. 90 10. 90 10. 90 10. 90 10. 90 10. 90 10. 90 10. 90 10. 90 10. 90 10. 90 10. 90 10. 90 10. 90 10. 90 10. 90 10. 90 10. 90 10. 90 10. 90 10. 90 10. 90 10. 90 10. 90 10. 90 10. 90 10. 90 10. 90 10. 90 10. 90 10. 90 10. 90 10. 90 10. 90 10. 90 10. 90 10. 90 10. 90 10. 90 10. 90 10. 90 10. 90 10. 90 10. 90 10. 90 10. 90 10. 90 10. 90 10. 10. 10. 10. 10. 10. 10. 10. 10. 10	\$\$\$40000000000000000000000000000000000				
	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	26 96 96 96 96 96 96 96 96 96 96 96 96 96	<b>851-057566666</b> <b>86156776666</b>				•
	12.00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	74295 74295 93868 10. 7242 8720 7450 10. 2496 11.			•	•	
	14200 14200 14600 14600 1600 1600 1600 1600 1600	24450 52281 52281 52281 52281 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5420 5	107020400 100020400		•		
	55.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50	25231 25231 25231 25231 25231 2520 2520 2520 2520 2520 2520 2520 252	14700440	·			
	144411 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441 14441	242 10. 7242 10. 7450 10. 7450 11. 2496 11.	10000000000000000000000000000000000000	•		•	
	0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	25231 25231 25230 2520 25496 111.	40 C C C C		•	•	•
	17.96 9411 6.929 6.426 7.13 19.93 19.93 19.93	8720 9. 7250 10. 7250 10. 22496 11.	8 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	•	•	•	•
	6929 6929 6416 6406 13995 1963 6	7450 10. 22496 11. 2617 11.	200			•	•
	6929 6406 7. 8.73 1963 6.	2617 11. 2617 11.	0				
	6929 6406 3 73 7 7 1963 6	2496 11. 2617 11.		•	•	•	•
	6406 7. 3.13 7. 8995 7. 1963 6.	2617 11.	5				
	8995 7. 1963 6.		9	. 06 36 3	.05294	936	1.579
	8995 7. 1963 6.	766	0	0.85.12	05014	417	28.0
	1963 6.	4007	; =	78780	05607		
	,	9115	: =	084422	0.046598	7 3959	7566
, γπο ων πο ων πο ων πο ων πο ων πο ων αν							
	•	•					
<b>シェケミジェクミジェクミクニクミケージンニケージ</b>		•					
	•	•			•		. •
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	•	•		.10290	. 06336	. 158	2.971
ຑ ຺ຩ຺ຘ຺ຒຑຑຓຒຑຑຓຒຑຑຓຒຑຑຓຒຑຑ	•	•		.10774	.06296	589	2.889
チェングイーングケーングイーング・ファ ケーング	•	•		0.112660	0.068440	10.0267	14.0097
	•	•		.11181	.06828	9.951	3.978
ひまりまりまりまりまりまりましょう	•	•		.11639	. 07248	0.520	5.330
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	•	•		. 12174	.07208	0.956	5.245
<b>~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~</b>	•	•		. 12677	.07763	1.410	6.420
	•	•		. 12593	. 07748	. 334	6.388
084-084-084-084-084-084-084-084-084-084-	•	•		. 13113	.08176	1.867	7.759
アケークではなってこのことできると	•	٠		. 13610	. 08144	2.317	7.690
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	•	•		. 14126	.08708	2.784	8.915
	•	•		. 14055	.08701	2.720	8.399
ひかみにひかることがなる	•	•		.14587	. 09137	3.274	0.372
M4-10-10-10-10-10-10-10-10-10-10-10-10-10-	•	•		. 15035	.09105	3.727	0.301
4-0	•	•		. 15601	.09669	4.197	1.558
	•	•		.15542	.09671	4.143	1.561
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	•	•		.16087	. 10115	4.719	3.138
m5=0m5=0		•		. 16596	10091	5.186	3.084
ケーのドチーの	•	•		. 17125	. 10663	5.669	4.393
- 0 F 4 - 0	•	•		.17078	. 10673	5.627	4.415
0m4=0	•	•		.17623	. 11117	6.213	6.081
₩4=0	•	•		. 18145	.11102	6.694	950.9
2=0	•	•		. 13674	.11674	7.180	7.388
~				18640	11692	7 149	7 630
	•	•		10101	20161	7 758	200
	•	•				900	27.4
1 P	•	•		36161.	12137	707.0	141.4
	•	•		2000	01/21.	6 7 7 9	186.0
	•	•		26202.	. 12799	8 / 2 S	0.649
	•	•		. 20809	. 13196	9.352	2.523
	•	•		. 21356	. 13197	9.861	2.526
	•	•		21910	.13786	0.376	3 977
•		•		21901	13520	16.8	1 90 5


PUERTO RICO AND THE VIRGIN ISLANDS

LUNPURVI FORECASE VARIABLES FOR PUERFO RICO-VIRGIN ISLANDS MODEL

SEATHI		
DIST P		
PRP 11	ราย เกาะสาราชานายังสาราชานายายายายายายายายายายายายายายายายายาย	
F S	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
PATOP		
PRPTI	700 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
<b>-</b>		
EAIMI		
S 151	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
KP 10	************************************	
0.0.5	00000000000000000000000000000000000000	
¥		
F 1 1	######################################	
DUMS R		
a swaa		
I HAA		
=		
ADF		
ت عد	00000000000000000000000000000000000000	
101	$\begin{array}{llllllllllllllllllllllllllllllllllll$	
LAIS		
AVE S		
1510		
3 V E I		
×	<b>はごすり よびこり ちごりゅうごりゅうというり おごりゅうこう きごりゅうこう とごりゅうこう とごりゅうこう というこう というこう といういい といういい というこく こうしょう というごく こうしょう というしょう といういい しゅうしゅう きゅう といういう しゅう きゅう という しょうしゅう しゅう という はっかい しょう という はっかい しゅう はっかい しゅう しゅう しゅう しゅう しゅう しゅう しゅう しゅう しゅう しゅう</b>	
9 5 90	ちょうごうかい ちゃらり とってい ちゃくりょうこう じゅん マンラン こここう しゅう おくし とうし しゅう しゅう しゅう ちゃく ちゃく しょう しゅう しゅう しゅう しゅう しゅう しゅう しゅう しゅう しゅう しゅ	
	B-29	

FORPURVI-FORECAST VARIABLES FOR PUERTO RICO-VIRGIM ISLANDS MODEL

HEL PSEAIMI				01/0:11 9/37													21.72 0072	_
FRF1B151	36		,	,		3 6											9 6	7
FAIDPS	8676760			7072770			•	> <	> <	•	0.0551518	9 (	9 (		•	7.204/0.0	- `	9796789
FRPIL	475197		6.44.706.4	077700	0.4034.0	0.50557	160/01.0	10.7040.0	V 1861P. 0	20026C.0	0.446595	* \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	6 96226.0	07/005 O	9.455519 6.65666	8/6/95.0	795165.0	01/507 0
SEAIMI			•		•	•			•	•		•	•		•	•	•	
RPIDISE		•			•				•	•							•	
ATOPS			•												•			
RFII									•			-	•		٠			
bum s		•	•	0	-	-	-	0	_	٥	-	•	_	•	•	•		<
DUMZ		•	•	_	•	-	0	_	0	0	•	_	•	•	•	-	•	<
(Mag		9		0	-	•	_	•	9	•	_	•	•	•	_	•	•	4
ADE		99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	99	,,
InTlac		29.01	29.26	29.52	29.77	30.03	30.29	30.55	30.81	31.08	31.35	31.62	31.89	32.17	32.45	32.73	33.01	90
AVESEATS		15	15	15	15	15	15	15	15	_		15	15	15	- 2	15	15	
AVENISI		6.9	6.9	6.9	6 9	69	69	6.9	64	6 9	· •	- 9	6.9	. •	69	69	69	•
2	<u> </u>	884	891	892	893	8 34	3	902	× 06	906	=	912	918	916	921	922	923	
9	2	99	25	20	5	9	7	62		9	. 5	99	6.3	49	6 7	70	7	



FORPURVI-FORECASI FREDICTIONS FOR PUERIO RICO-VIRGIN ISLANDS MODEL

PSEAIMI	0	64444444444444444444444444444444444444
PRPTDIST	2000-000 4000 000 000 000 000 000 000 000	23. 358
PATOPS	P A 1 0 P S P A 1 0 P S P A 1 0 P S P A 1 0 P S P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1 0 P A 1	0.072030 0.073030 0.073030 0.07303030 0.07303030 0.07303030 0.07303030 0.07303030 0.07303030 0.07303030 0.07303030 0.07303030 0.07303030 0.07303030 0.07303030 0.07303030 0.07303030 0.07303030 0.07403030 0.07403030 0.07403030 0.07403030 0.07403030 0.0740303030 0.07403030 0.07403030 0.07403030 0.07403030 0.07403030 0.07403030 0.07403030 0.07403030 0.07403030 0.07403030 0.07403030 0.07403030 0.07403030 0.07403030 0.07403030 0.07403030 0.0740303030 0.07403030 0.07403030 0.07403030 0.07403030 0.07403030 0.07403030 0.07403030 0.07403030 0.07403030 0.07403030 0.07403030 0.07403030 0.07403030 0.07403030 0.07403030 0.07403030 0.07403030 0.07403030 0.07403030 0.07403030 0.07403030 0.07403030 0.07403030 0.07403030 0.07403030 0.07403030 0.07403030 0.07403030 0.07403030 0.07403030 0.07403030 0.07403030 0.07403030 0.07403030 0.07403030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.074030 0.0740
PRPIJ	7	
SFATMI	$\pi$ — GCGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGG	
RPTD1ST		
A10PS		
RP11	୍ଳ ନିଳିନିଅନିଷ୍ଟିନିଷ୍ଟଳିଷ୍ଟିଅନ୍ତିମଷ୍ଟେନିକିନ ୨	
¥1.6	- こうちょうくくくくとなるなののやりものののーニーニこご	: !! !! !! !! !! !! !! !! !! !! !! !! !!
685	2	これできないないない。  これできるできるできるできるできるできるできるできるできるできるできるできるできるで

FORPURVI-FORECAST PREDICTIONS FOR PUERIO RICO-VIRGIN ISLANDS MODEL

			2		7				
S	4 TR	RPII	Alors	KP [D] \$1	SEAIMI	FRPT1	PAIOPS	PRPIDIST	PSEATHI
4	864		,			0.375397	0.0772528		46.3749
	100	•	•	•	•	0 429629	0.0823626		49.4453
. «	800	•	•	•	•	0.382228	0.0747490		44.8718
•		•	•	•	•	0.405476	0.0775096		46.5290
	76 ¥	•	•	•	•	0.383579	0.0786141		47.1920
	-		•	•	•	0 437891	0.0837372		50.2674
· c.	206	•		•	•	165061	0.0761236		45.6970
,	Y 0 6	•		•	•	0 413819	0.0788975		47.3622
	906		•	•	•	0 392002	0.0800153		48.0332
ی .	;					0 446 195	0.0851518		51.1166
٠.	612	•	•	•	•	5/0661 0	0.0775515		46.5542
•	116	•				0 422483	0.0803388		48.2274
. «	916	•	•		•	9,700,0	0.0314700		43.9064
	921			. ,		0.455219	0.0866198		51.9979
	922					0.407978	0.0790329	26.9266	47.4434
_	923				•	0.431467	0.0818335		49.1246
	700					02/002 0	7775CKU U		49 AD 37

### APPENDIX C LOCAL MODEL EVALUATION ADDENDUM

Two of the variables employed in the market forecast model require special comment. These include the distance measurement and the dummy assigned as a measure of competing markets to alternative hubs.

### Distance

Previous studies of commuter activity have employed distance as a predictor of community "isolation" and the demand generated for commuter service. But the relationship is not clear; Figure 14 indicates the problem.

The steps correspond to the annual domestic traffic volumes (left scale) by mileage group in 1979. *As can be seen, ridership increases in markets up to 100 miles, then decreases. The relationship between the mileage in a market and commuter traffic is slightly more complex than can be measured by distance directly.

Superimposed on the step-function is a gamma distribution; a statistical approximation to the step function. On the right scale are values of the gamma distribution corresponding to mileage intervals. The gamma distribution achieves its maximum value at approximately 100 miles, and is less for other distances. For the purpose of modeling commuter traffic behavior, the values of the gamma function are interpreted as "likelihood" estimates. That is, commuter carriers have the same "likelihood" of attracting passengers in 35 mile marekts as they do in 160 mile markets (a "likelihood" estimate of 0.095). In either of these markets there is less "likelihood" to attract passengers as there is in 100 mile markets where the estimate is approximately 0.184.

The gamma distribution value has been used in lieu of distance. A positive correlation is expected between traffic and this distribution (GDIST). This was demonstrated in the market forecast model.

Table 7, Commuter Air Carrier Traffic Statistics, 1979. CAB.




Figure 1 Distribution of commuter passengers by mileage, 1979, and gamma distribution approximation.

Source: CAB data and SRI analysis

### Alternatives

The extent to which a passenger has a choice of alternative hubs at which to connect will reduce the traffic in any single market. For example a passenger in Grand Rapids, Minnesota has commuter access to only one hub--Minneapolis/St. Paul. A Fresno, California traveler, in contrast, has access to a choice of hubs, including San Francisco, Los Angeles and Sacramento. We expect the presence of alternate hubs to reduce traffic from what it might be if there were no alternative.

Two dummy variables are introduced to reflect this competition, ALT 1 and ALT 2. Both are assigned a value of zero if no competition appears to exist for the route being examined. If the originating city has comparable access to an equivalent hub or slightly less convenient access to a better hub than is provided on the route being modeled, then ALT 1 is assigned a value of 1 for that route. If hub access is better in another market than on the one modeled, ALT 2 is assigned a value = 1 (ALT 1 = 1, also).

We anticipate the sign of these dummy variables to be negative as traffic will decrease as ALT 1 and ALT 2 increase from 0 to 1.

SAMPLE CITY-PAIRS, MARKET FORECAST MODEL, YEAR AND TRAFFIC

Origin	Destination	Year	Traffic
Abilene	Austin	1978	2,578
**	11	1979	3,319
Abilene	Houston	1977	4,070
17	11	1978	5,489
11	lt .	1979	7,577
Altoona	Pittsburgh	1975	17,568
**	"	1976	20,822
11	**	1977	23,219
**	•	1978	24,811
11	11	1979	25,679
Walla Walla	Spokane	1975	3,653
"	17	1977	3,762
11	**	1978	4,004
17	11	1979	4,849
Lewiston	Spokane	1977	1,927
17	"	1978	2,402
11	11	1979	4,511
Pasco/Richland	Spokane	1975	2,788
**	11	1977	2,868
I#	18	1978	4,767
11	11	1979	5,938
Pullman	Spokane	1975	4,498
11	11	1976	3,587
11	11	1977	4,733
11		1978	4,926
11	11	1979	6,771
Yakima	Spokane	1975	4,575
ii .	11	1977	5,123
11	11	1978	5,469
11	"	1979	5,995
Bloomington	Indianapolis	1975	3,303
11	n 	1976	4,376
11		1977	6,229
11	n .	1978	6,840
11	11	1979	6,706

(continued)

Origin	Destination	Year	Traffic
Terre Haute	Indianapolis	1975	7,097
11	11	1976	7,490
11	**	1978	9,607
**	11	1979	10,594
Muncie	Indianpolis	1975	1,924
<b>†</b> †	17	1976	1,595
11	11	1977	3,440
11	11	1978	6,828
Augusta	Boston	1977	28,059
11	17	1978	27,537
19	11	1979	26,930
Hyannis	Boston	1977	39,467
**	**	1978	42,838
11	11	1979	39,368
Lebanon	Boston	1977	35,267
11	11	1978	47,775
11	17	1979	40,064
Montpelier	Boston	1977	11,767
11	17	1978	8,596
11	11	1979	5,147
Portland	Boston	1977	25,544
11	11	1978	22,913
11	11	1979	15,366

1、100十十年後の精神の正治の機を中心時からいてい

Source: CAB data

### APPENDIX D

AIRCRAFT INVENTORY AND OAG SCHEDULED OPERATIONS BY AIRCRAFT CODES

		AIR	AIRCRAFT	INVEN	INVENTORY AND SCHEDULED	)S Q	IEDUL EL		OPERATIONS		•	38 1	8:38 TUESDAY,	, MAY	26.	1961
0=0	W <b>6</b> 3>6	<b>z&lt;∑</b> w	エーエの出く下の	E <x0w<⊢0< th=""><th>£4&gt;-048</th><th>アレヘ対圧であ</th><th>いいはロドシンと</th><th><b>ピーベエミクゆ</b></th><th>WOIOFW~4</th><th>やしくれま??</th><th>SOTOLSA</th><th>やし人対臣でき</th><th><b>NUTOFN/</b></th><th><b>Pし人以后とり</b></th><th></th><th>ろいれのたらても</th></x0w<⊢0<>	£4>-048	アレヘ対圧であ	いいはロドシンと	<b>ピーベエミクゆ</b>	WOIOFW~4	やしくれま??	SOTOLSA	やし人対臣でき	<b>NUTOFN/</b>	<b>Pし人以后とり</b>		ろいれのたらても
-	ACB	AERO COHMANDER	80	^	2750	14	•	27	٠	30	٠	36	•	45	10972	2
N	AC5	AERO		٠	٠	•	•	•	•	•	2028	•	•	•		
m	<b>V</b> C	AERO	ıc	~	2850	•	•	•	•	•	3328	•	•	•		
•	A50	NOT ASSIGNED	•	•	•	•	•	•	962	•	•	•	•	•		
n	356	NOT ASSIGNED	٠	•	•	•	•	•	7358		٠	•	•	•		
•	BEB	DEECH BARON	•	•	1965	11	•	23	•	•	•	24	•	3.9	1009	<b>±</b>
^	DEC	BEECHCRAFT	2	•	•	•	•	•	•	•	•	•	•	•	3588	•
•	<b>B</b> EC23	BEECH C-23	m	•	•	•	•	•	•	•	•	•	•	8		
•	DEE	DEECH B-90	10	•	•	•	•	96	•	•	•	•	•	~		
=	DE0	BEECHCRAFI THIN BONANZA	'n	٠	2230	•	•	•	•	•	•	1	•	8	2522	2
=	BEG	BEECH QUEEN AIR 80	~	=	3578	•	•	S	•	m	•	10	•	14	37726	9
12	DET	BEECHCRAFT	•	•	•	•	•	•	٠	•	•	•	•	•	82160	•
13	<b>3</b> E1	BEECH B-18 CONVERSION	==	15	4055	149	•	194	•	140	٠	9.1	•	106	34918	•
=	BE100	BEECH BE100	2	•	•	•	•	•	•	8	•	-	•	•		
2	. DE2	THIN BEECH 18	•	•	2980	•	•	•	•	•	•	•	•	0	34580	•
7	BE24	BEECH B-24	m	•	•	-	•	•	•	•	•	•	•	•		
11	BE9	BEECH 99	**	17	5123	98	•	83	٠	95	•	95	•	106	518440	•
2	BGL	MOT ASSIGNED	=	•	•	•	•	•	•	•	•	•	9529	•		
-	<b>B</b> H2	BELL 206A JET RANGER HELICOPTE	E S	•	860	•	•	8	•	m	140348	8	•	-		
2	##	NOT ASSIGNED	2	•	•	•	•	•	٠	•	13000	•	•	•		
21	BNI	NOT ASSIGNED	9	•	•	•	•	•	•	•	•	•	•	•	218101	=
22	PHI	BRITTEN NORMAN TRISLANDER	18	•	٠	3.8	•	29	٠	53	•	*	٠	38		
23	916	NOT ASSIGNED	•	•	•	•	•	•	54977		•	٠	•	•		
24	919	DEI	11	15	4055	•	•	•	78182	•	•	•	•	•		

	•	AIG	RCRAFT	INVEN	AIRCRAFT INVENTORY AND SCHEDULED OPERATIONS	SCHE	DULED O	PERAT	1085		8:38	8:38 TUESDAY, MAY 26.	. I	¥ 26.	: 1861	
	<b>ルチンー L</b>	z <zw< th=""><th>ピーエのயくとの</th><th>E4X0U4F0</th><th>£&lt;&gt;-0&lt;6</th><th>アし人以正了ら</th><th>いいはひずるとも</th><th><b>ピーベがEPとる</b></th><th>4020£464</th><th><b>Pし人状態アフ</b></th><th>&amp;0104<i>%</i>/</th><th>やしくままとの</th><th>NOTOF40-4</th><th>アし人社匠とり</th><th>いいはロギルンチ</th><th></th></zw<>	ピーエのயくとの	E4X0U4F0	£<>-0<6	アし人以正了ら	いいはひずるとも	<b>ピーベがEPとる</b>	4020£464	<b>Pし人状態アフ</b>	&0104 <i>%</i> /	やしくままとの	NOTOF40-4	アし人社匠とり	いいはロギルンチ	
2	872	BOEING 720	35	141	32888	•	•	•	٠	•	٠	•	•	•	7.8	
•	•	DEG	~	=	3578	•	•	•	18538	•	•	•	•	•	•	
2		DE9	•	11	5123	•	•	•	275587	•	٠	•	•	•	•	
	CES	CMT	•	~	1729	•	•	ø	52866	•	•	•	•	•	•	
•	CNA	CESSMA	=	•	•	•	•	•	٠	•	•	•	•	•	121082	
2	CHI	CESSMA 207 TURBO SYSTEM	•	~	1729	36	٠	36	•	54	•		•	33	32942	
=	CN	CESSNA C-150	-	•	•	•	•	•	٠	•	•	•	•	~	٠	
2	CN2	CESSNA 206	•	1	1792	42	٠	20	•	38	٠	ž	•	•	26156	
2	CNA	CESSNA 402 TWIN TURBO SYSTEM	•	•	2436	85	•	6	•	102	٠	143	•	157	505635	
<b>±</b>	CVR	CONVAIR	98	•	11200	•	•	8	•	•	•	-	•	16	20540	
5	CVI	CONVAIR CV-340/440	÷	52	•	12	•	•	•	70	•	^	•	=	1040	
2	CV2	NOT ASSIGNED	•	•	•	•	3536	•	•		٠	•		•	•	
2	CVA	NOT ASSIGNED	3	•	•	•	•	•	٠	•	•	•		•	4966	
2	CVS	NOT ASSIGNED	3	•	٠	•	•	•	•	•	•	•		•	23478	
2	CV6	CONVAIR 640	<b>;</b>	•	15800	•	•	•	•	•	•	•		5	1248	
:	CINC	CURTISS WRIGHT COMMANDO C46	•	•	12000	~	•	•	•	^	•	•	•	•	4384	
.=	<b>C46</b>	MOT ASSIGNED	•	•	٠	•	•	٠	2340	٠	•	•	•	•	٠	
2	6963	CESSNA C-500	1	=	•	-	•	•	•	•	•	ĸ	•	-	•	
2	DAF	NOT ASSIGNED	2	•	٠	•	•	•	•	•	129864	•	•	•	٠	
•	BC3	MCDONNELL DOUGLAS DC3/DAKOTA C	19	•	7380	09	•	45	٠	83	•	8	•	*	88400	
2	₽C•	MCDONNELL DOUGLAS DC4/SKYMASTE	•	9	11440	•	•	•	•	•	•	84	•	^	9526	
•	90¢	MCDONNELL DOUGLAS DC6	•	9	12310	8	•	~	•	~	•	-		9	362	
2	909	MCDONNELL DOUGLAS DC9-10 AND 2	12	•	20850	•	•	•	•	•	٠	•	•	•	520	
=	<b>A00</b>	DHO	•	11	•	•	•	•	13936	•	•	•	•	•	٠	

		AIR	CRAFT 1	NVENTO	AIRCRAFT INVENTORY AND SCHEDULED OPERATIONS	SCHEDU	LED 0PE	RATION	S		8:38	8:38 TUESDAY, MAY		26. 1	1961
9	w <b>♂</b> ⊃ ~ €	<b>≖&lt;</b> ≅₩	EHZSW<	<b>E</b> <×ou<-o	£4>1040	ゲーヘエピアシ	NOTOFNUN	<b>よし人以至了る</b>	ないまひがなどる	e しく H E E F F F F F F F F F F F F F F F F F	WUIOFW~~	e <zw~e< th=""><th>NOTOFN-#</th><th><b>よしく対告/の</b></th><th></th></zw~e<>	NOTOFN-#	<b>よしく対告/の</b>	
;	DESF	DESAULT FALCON	7	•	•	•	٠	29	•	29	•	12		•	
35	270	DE HAVILLAND CANADA BEAVER	9 7	•	1800	0.7	•	•••		=	•	3.0		13	
3	Dic	DE HAVILLAND COMET-4 JET	101	•	22900	•	•	•	3276	•	•	•		•	
25	OH0	DE HAVILLAND CAMADA DOVE	•	==	•	84	٠	m	٠	~	•	=		•	239
53	HT	DE HAVILLAND HERON	14	11	•	35	•	35		33	•	•		~	19791
35	DHK	DE HAVILLAND DHC-4 CARIBOI	32	•	8740	0	•	•	1820	•	٠	٠		•	
55	DHO	DE HAVILLAND CAHADA OTTER	10	•	•	-	•	8	٠	-	•	7		23	626
35	DHR	DE HAVILAND RILEY 400	:	11	•	•	٠	•	•	•	•	•		•	111
23	DHS	NOT ASSIGNED	•	•	•	•	•		•		2600				
2	DHI	DE HAVILLAND CANADA THIN OTTER	19	•	4420	•	•	•	•	•	•	•		•	66159
23	<b>9</b> 110	DE HAVILLAND CANADA DHC-6-300	67	•	4430	59	•	20	•	81	•	92		7.5	1583
;	CHQ	DE HAVILLAND CAMADA DHC-7	20	•	15000	•	•	•	•	•	•	-		•	3775
;	D028A	DORNIER DU-28A	12	•	•	•	•	•	•	•	•	7		•	
75	010	HOT ASSIGNED	٠	•	٠	٠	•		397709		•	•			
£3	EMB	EMBREAR BANDEIRANTE	18	•	2000	•	•	•	•	•	•	•		•	3003
:	EVAN	ENANGEL 4500-300	•	•	•	•	•	•		•	•	1		•	
•	FII)	FK7	•	4.8	11500	•	•	•	15236	•	•	•		•	
3	FKF	FH/FOKKER FRIENDSHIP	•	48	12000	•	•	•		•	•	•		•	197
7	FK7	FAIRCHIL-HILLER FH227	9	48	11500	•	•	•	•	•	•	•		•	3780
9	FORD	FORD 4AIB TRIMOTOR	'n	•	٠	•	٠	~	•	~	•	٥		•	
5	F27	FK7	9	48	11500	•	2096	•	•	•	•	•		•	
	<b>W</b> 59	GRM	10	15	1950	•	•	•	3562	•	•	•		•	
11	\$99	GRO	10	•	2000	•	•	•	80002	•	•	•		•	
72	GRG	GRUMMAN G-21A GOOSE	2	•	2000	21	٠	25	•	1.9	•	16		•	4284

		AIRC	AIRCRAFI	1HVEN TO	INVENTORY AND SCHEDULED OPERATIONS	SCHE	<b>301 ED</b>	OPERA	TIOMS		_	1:38 T	8:38 TUESDAY,	MAY 26.	6. 1981
	WF3me	2<2W	Emzomero	E <x#w<< th=""><th>6×0-&lt;&gt;</th><th>をしる内田でき</th><th>のひまりたのへの</th><th>FUSZMV4</th><th><b>9020F0</b></th><th><b>ド</b>しく2877</th><th>#020FW~</th><th><b>レーベエビトの</b></th><th><b>00101000</b></th><th><b>ナ</b>ーベミビトウ</th><th>NUIDENNA</th></x#w<<>	6×0-<>	をしる内田でき	のひまりたのへの	FUSZMV4	<b>9020F0</b>	<b>ド</b> しく2877	#020FW~	<b>レーベエビトの</b>	<b>00101000</b>	<b>ナ</b> ーベミビトウ	NUIDENNA
73	GRI	GRUPPIAN MALLARD	=	15	1950	~		~	•	^		•	٠	13	44798
*	GRS	GRUFFAN GULFSTREAN 1-G-159	=	24	7500	•		•	•	•		-		8	13130
75	189	GRUPHAN TIGER	•	•	1100	•	•	•	•	•		•		•	1828
7.	941 DG	GRUMAN HIDGEON	10	•	٠	=======================================		•	•	•		•	•	•	•
11	6206	GRUPHAN G-206	•	•	•	•		•	•	•		•	•	8	٠
7	HFB320	HANSA NFB-320	•	=	•	•		•	•	•		ĸ	•	•	•
73	MFN	NOT ASSIGNED	•	•	•	•			312				•	•	•
=	£	HANDLEY PAGE JET STREAM	=	21	4100	•		~		=		•		17	93704
=	HRH	MOT ASSIGNED	•	•	•	•		•	159796				•		٠
82	HS7	HANKER SIDDELEY 748	;	35	11363	•		•	•	•		-	4290	•	٠
83	H250	HELID COURTER H-250	'n	•	•	-	•	~	•	•			•	~	•
1	H295	HELIO H-295	10	•		•		•	•	•		~		•	•
2	JRH	NOT ASSIGNED	•	•	•	•		•	494	•				•	•
*	LANCE	LANCE	n	•	•	•	•	•	•	•		-		•	•
87	בו	NOT ASSIGNED	•	•	•	•	•	•	9284	•			•	•	•
2	105	LOCKHEED ELECTRA TURBOPROP	99	**	22000	•		•	٠	•		•	•	•	7.8
6	LRJ	LEARJET	50	~	•	•	•	-	•	-		<b>1</b> 0		•	2600
	1104	LOCKHEED 10A	•	•	•	-	•	-	٠	-		•	•	•	•
=	1188	LOCKHEED L-188	92	•	•	•	•	•	•	•		-		•	•
35	M02	MODNEY MARK 20A	12	•	•	•		•	٠	-		•	•	•	2262
3.	HR.	MARTIN 464	+		9588	^	•	•	•	:		82	•	24	35230
ĭ	MU2	NOT ASSIGNED	•		•	•	•		3146				•	•	•
35	MUZJ	MISUBISI MU-23	•	=	•	•	•	-	•	•		~	•	•	٠
*	M2.0	M02	12	•	•	•	•	•	93496	-		•	•	•	•

			AIRCRAFT INVENTORY AND SCHEDULED OPERATIONS	NVENTO	RY AND	SCHE	DULED	DP ER	ATIONS		••	38 11	8:38 TUESDAY,	HAY	HAY 26, 1981	
804	₩ <b>ૄ</b> ∋⊷4.	<b>2&lt;</b> £w	I-IGU<-G	E4X0M4F0	6×0-4×1	FTKEMPN	NOIDENN	アーベンピア・ウ	WOZOFW-4	<b>ピーペアボット</b>	NOIOFN	<b>よしくと</b> 思りる	いいこのためため	アーベスポッチ	WUZDEW~*	
~	HOH	AEROSPAIIALE DAUPHIN 340	*	•	•	•	•	•	•	•	•	•	•	•	15860	
7	<b>402</b>	MORD 262	27	•	5819		•	12	•	16	•	18	•	13	73554	
•	H26	NOT ASSIGNED	•	٠	•	•	•	•	17914		•	•	•	•	•	
:	44	NOT ASSIGNED		•	•	•	•	•	٠	•	•	•	•	•	528	
	PAC	PIPER CHEROKEE	•	7	1544	45	•	47	•	5	•	12	•	13	79430	
102	PAF	PIPER CHIEFTAIN	***	•	•	•	•	-	•	•	•	•	•	•	239850	
103	PAG	NOT ASSIGNED	1	•	•	•	•	•	•	•	•	•	•	•	20228	
:	PAR	PIPER MAVAJO	•	•	2796	5	•	20	•	125	•	160	•	200	513461	
165	PAS	PIPER SENECA	•	_	1747	•	•	•	•	•	•	•	•	•	58162	
:	LY.	NOT ASSIGNED	=	•	•	•	•	•	•	•	•	•	•	•	1040	
107	PAZ	PIPER AZTEC	•	•	2151	*	•	45	•	51	•	55	•	23	36816	
188	PA14	PIPER PA-14	•	•	•	•	•	•	٠	-	•	•	•	•	•	
:	PAIG	PIPER PA-18		•	•	8	•	•	•	n	•	~	•	~	•	
110	PA24	PIPER PA-24	•	10	•	-	•	•	٠	•	•	m	•	~	•	
111	PA26	PIPER PA-26		•	•	•	•	•	•	•	•	-	•	•	•	
112	PA 30	PIPER PA-30	•	•	•	•	•	8	•	n	•	•	•	•	•	
113	70	NOT ASSIGNED	•	•	•	•	•	•	35802		•	•	•	•	•	
114	PCH	PAC	•	7	1544	•	•	•	18356	•	•	•	•	•	•	
115	<b>PD</b> 2	NOT ASSIGNED	•	•	•	•	•	•	10062	•	•	•	•	•	•	•
116	PH	NOT ASSIGNED	•	•	•	•	•	•	19578	•	•	•	•	•	•	
111	ž	PAN	•	•	2796	•	٠	•	208832	•	•	•	•	•	•	
===	£	716	•	•	•	•	•	•	27326	•	•	•	•	•	٠	
119	Į	NOT ASSIGNED	=	•	•	•	•	•	٠	•	•	•	22256	•		
120	***	NOT ASSIGNED	•	•	•	•	•	•	9819	٠	•	•	•	•	•	

NOZOFN/*	•	•	•	•	74542	•	3198	•	•	483912	•	•	•	•	1378	٠	•	•	•	•	•	260	1692	
<b>むしくと思りの</b>		•	•	•	•		•	•	•	3.8	•	•	•	•	•	•	•	•	•	•	-	•	•	
いしはロピミトお		5408		10244	•	٠	٠	84318	•	٠	•	•	•	٠		520	٠	•	•	•	•	•	•	
€ <zw~⊕< th=""><th></th><th>•</th><th>Ξ</th><th>•</th><th>•</th><th>•</th><th>•</th><th>•</th><th>•</th><th>35</th><th>•</th><th>•</th><th>•</th><th>•</th><th>14</th><th>•</th><th>•</th><th>٥</th><th>•</th><th>•</th><th>•</th><th>•</th><th>•</th><th></th></zw~⊕<>		•	Ξ	•	•	•	•	•	•	35	•	•	•	•	14	•	•	٥	•	•	•	•	•	
0010L0~~	٠	٠	9699	•	٠	٠	٠		٠	•	•	15288	•	٠	٠	•		•	•	•	٠	٠	•	
サー N N N N N N N N N N N N N N N N N N N	•	•	12	•	•	•	•	•	-	23	٠	•	•	•	•	•	•	•		•	•	•	•	
NOTOLONG	6318	•	•		•	19526	٠	٠	٠	•	27794	٠	6292	4004	•	•		274482	•	3250	•	•	•	
<b>よしくに出てる</b>	•	•	•	•	•	•	•	•	-	91	•	•	•	•	~	•	•	•	•	•	•	•	•	
いいこのドルトや	٠	•	•		•	•	٠	•	•	•	•	•	•	•	•	•	•	•	24778	•	•	٠	•	
やし人MEPS	•	•	<b>.</b>	•	•	•	•	•	8	1	٠	•	•	•	~	•	•	•	٠	•	•	•	•	
64>-04B	•	٠	٠	•	7500	•	4000	9 0 9	•	3958	٠		•	•	•	٠	5810	2436	•	•	83447	52000	29093	
<b>Z</b> <×ou<-o	•	•	- 52	•	٠	•	•	28	•	:	•	•	•	•	•	•	•	•	•	•	•	159	•	
にっていまくとの	•	23	19	•	30	•	12	=	-	15	•	2 ؛	•	•	30	10	22	•	•	30	•	100	101	
<b>2&lt;2</b> w	NOT ASSIGNED	SAUNDERS ST-27-ST2 (PROP)	SHORT BROS AND HARLAND SKYVAN	NOT ASSIGNED	SHORT BROS. AND HARLAND SD3-38	NOT ASSIGNED	SIKORSKY S-58 HELICOPIER	SIKORSKY S-61 HELICOPIER	STINSON BUSHMAN SRIDE	SHEARINGEN METRO	NOT ASSIGNED	SIKORSKY S-62 HELICUPIER	MOT ASSIGNED	NOT ASSIGNED	TED SMITH AREOSTAR 601	NOT ASSIGNED	NORD 298 (MOHAUK 298)	CN4	MOT ASSIGNED	156	BOEING 707 FREIGHTER	BOEING 707 PASSENGER JET	BOEING 737 PASSENGER JET	
<b>403 - €</b>	710	SA2	SH	SHS	SH3	SKV	SK5	SK6	SRIGE	3	\$55	295	=	154	156	YOF	298	402	47.1	3	70F	79)	137	
9 <b>2</b> 4	121	122	123	124	125	126	127	128	129	130	ם זו	132	133	134	135	136	137	2.	-139	•	3	142	2143	N=143

8:38 TUESDAY, MAY 26, 1981

AIRCRAFT INVENTORY AND SCHEDULED OPERATIONS

CU.S. GOVERNMENT PRINTING OFFICE: 1981-341-428/1305

### END

# DATE FILMED OF THE STATE OF THE

DTIC